Artemide

PRODUCT DATA SHEET

Lost 1214mm - T16 1x54W



DESIGN BY:

Ernesto Gismondi

MATERIALS:

Aluminium

DESCRIPTION:

Single pendant with direct-indirect lighting using 54W and 80W T16 fluorescent light source. 2 versions: lost (1xT16) and lost duo (2xT16). Dark light optics with lateral aluminium reflectors. Aluminium central profile (lost duo). End caps in translucent injection moulded polycarbonate. Light output ratio: 66%. Light distribution: 55% indirect and 45% direct. Electronic control gear, with or without dimming (DALI-SWITCHDIM). Luminaire comes complete with quick-adjustment steel cables, ceiling surface place and power cable. Complies with standard EN60598-1 and other specific standards.

LOST

For use with 1x54W or 1x80W T16. Dark light emission is in compliance with EN12464-1 standard, with average luminance levels lower than the 1000 cd/m² limit for an observation angle of 65° or above with respect to the vertical axis. Integral ballast located in the ceiling plate.

Light emission

Indirect/direct Dark Light



TECHNICAL DATA SHEET

Features

Product name: Lost 1214mm - T16 1x54W M148790

Article Code: Colour: N/s

Material: Aluminium

Series: Design, Architectural

Environment: Indoor

Area contract:

OPTICS

Emission: Indirect/direct Dark Light

DIMENSIONS

Length: (cm) 121 Width: (cm) 4.3 (cm) 3.7 Height:

Cutout shape:

Weight: 1.3 Glow Wire Test: 850°

LAMPS NOT INCLUDED

Category: FLUO Number: Lbs: T16 Watt: 54 G5 Socket: FDH-54 Type: Luminous Flux (Im): 4450 Colour Rendering: 85 Colour temperature (K): 3000 Duration (h):

Dimensions



LAMP



ELECTRICAL

Starter: Electronic Integrated Voltage: 220V-240V