## Artemide

### PRODUCT DATA SHEET

#### Felsina parete dual emission HIE 70W



#### **DESIGN BY :**

Ernesto Gismondi 1994

#### **MATERIALS** :

Die-cast aluminium, anodized aluminium, tempered glass

#### **DESCRIPTION:**

Light fixture with direct emission and adjustable projector unit with dual emission. Materials: lamp unit in painted die-cast EN-AB 46100 aluminium; reflector in bright anodized aluminium; moulded prismatic diffuser in sodium-calcium tempered glass; AISI 316 stainless steel screws and silicone seal gaskets. Painting is obtained with 3-stage outdoor treatment: nanotechnologies, antioxidant primer, polyester paint.

#### Light emission



IP 65 🚯 🕅

Direct and Direct/Indirect



#### Features

Colour:

Material:


Support:


Support colour: Series: Environment:

Product name: Article Code:

Felsina parete dual emission HIE 70W T001600 + T002500 Antigua grey Die-cast aluminium, anodized aluminium, tempered glass

#### Dimensions





LAMP

IP 65 🚯 🕅

#### ELECTRICAL

Voltage:

220-240V

LAMPS NOT INCLUDED		
Category:	Н	
Number:	1	
Lbs:	Н	
Watt:	70	
Socket:	E:	

Wall			
Antigua	grey		
Outdoor			
Outdoor			

Direct and Direct/Indirect

(cm) 51.3 (cm) 27 (cm) 21

#### OPTICS

Emission:


DIMENSIONS

Length:	
Width:	
Height:	
Cutout shape:	

#### L

Category:	HQI
Number:	1
Lbs:	Hie
Watt:	70
Socket:	E27
Туре:	Mcs
Colour Rendering:	1b
Colour temperature (K):	3000

### Artemide




Polar curve

H m	<b>Ø C0</b> m	<b>Ø C90</b> m	E lux
0,5	2,38	0,81	2431
1,0	4,76	1,62	608
1,5	7,14	2,43	270
2,0	9,52	3,24	152
2,5	11,89	4,05	97
3,0	14,27	4,86	68
			70, 200

(X =67°x 39°

# **Artemide**



Light beam