Artemide

PRODUCT DATA SHEET

Felsina parete dual emission HIE 100W



DESIGN BY :

Ernesto Gismondi 1994

MATERIALS :

Die-cast aluminium, anodized aluminium, tempered glass

DESCRIPTION:

Light fixture with direct emission and adjustable projector unit with dual emission. Materials: lamp unit in painted die-cast EN-AB 46100 aluminium; reflector in bright anodized aluminium; moulded prismatic diffuser in sodium-calcium tempered glass; AISI 316 stainless steel screws and silicone seal gaskets. Painting is obtained with 3-stage outdoor treatment: nanotechnologies, antioxidant primer, polyester paint.

Light emission



IP 65 🚯 🕅

Direct and Direct/Indirect



Features

Colour:

Material:

Support:

OPTICS Emission:

Length:

Width:

Height:

Series:

Support colour:

Environment:

DIMENSIONS

Product name: Article Code: Felsina parete dual emission HIE 100W T001600 + T002600 Antigua grey Die-cast aluminium, anodized aluminium, tempered glass Wall Antigua grey Outdoor Outdoor

Direct and Direct/Indirect


(cm) 51.3


(cm) 27 (cm) 21

HQI

1

Dimensions





LAMP

IP 65 🚯 🕅

ELECTRICAL

Voltage:


220-240V

Cutout shape: LAMPS NOT INCLUDED Category: Number: Lbs:

Lbs:	Hie
Watt:	100
Socket:	E27
Туре:	Mcs
Colour Rendering:	1b
Colour temperature (K):	3000

Artemide


DIAGRAMS



Polar curve

H m	Ø C0 m	Ø C90 m	E lux
0,5	2,38	0,81	3193
1,0	4,76	1,62	798
1,5	7,14	2,43	355
2,0	9,52	3,24	200
2,5	11,89	4,05	128
3,0	14,27	4,86	89
$0 - 670 \times 200$			

Artemide



Light beam