Artemide

PRODUCT DATA SHEET

Felsina parete dual emission HSE 150W



DESIGN BY :

Ernesto Gismondi 1994

MATERIALS :

Die-cast aluminium, anodized aluminium, tempered glass

DESCRIPTION:

Light fixture with direct emission and adjustable projector unit with dual emission. Materials: lamp unit in painted die-cast EN-AB 46100 aluminium; reflector in bright anodized aluminium; moulded prismatic diffuser in sodium-calcium tempered glass; AISI 316 stainless steel screws and silicone seal gaskets. Painting is obtained with 3-stage outdoor treatment: nanotechnologies, antioxidant primer, polyester paint.

Light emission



IP 65 🚯 🕅

Direct and Direct/Indirect

TECHNICAL DATA SHEET

Features

Colour:

Material:

Support:

OPTICS Emission:

Length:

Width:

Height:

Series:

Support colour:

Environment:

DIMENSIONS

Product name: Article Code: Felsina parete dual emission HSE 150W T001600 + T000300 Antigua grey Die-cast aluminium, anodized aluminium, tempered glass Wall Antigua grey Outdoor Outdoor


Direct and Direct/Indirect


(cm) 51.3

(cm) 27

(cm) 21

Dimensions





LAMP

IP 65 🚯 🕅

ELECTRICAL

Voltage:


220-240V

Cutout shape:		,
LAMPS NOT INCLUDED)	
Category:	ΗG)
Number:	1	

Number:	1
Lbs:	HSE
Watt:	150
Socket:	E40
Class:	A

Artemide


DIAGRAMS



Polar curve

H m	Ø C0 m	Ø C90 m	E lux
0,5	2,38	0,81	5624
1,0	4,76	1,62	1406
1,5	7,14	2,43	625
2,0	9,52	3,24	352
2,5	11,89	4,05	225
3,0	14,27	4,86	156
			70. 200

Artemide



Light beam