

PRODUCT DATA SHEET

Ayrton 156 - HIT-CE - White

**DESIGN BY :**

Artemide

MATERIALS :

Die-cast Aluminium, technopolymer

DESCRIPTION :

A range of recessed adjustable downlights using 12V halogen and metal-halide lamps. Body in die-cast aluminium and technopolymers, available with white or chrome finish. 3 diameter options: $\varnothing 98\text{mm}$, $\varnothing 125\text{mm}$ and $\varnothing 156\text{mm}$. Tilt angle of up to 45° and rotation of up to 355° depending on the version. Safety glass with HIT version Remote control gear. Complies with standard EN60598-1 and other specific standards.

Light emission

Direct

IP20   

TECHNICAL DATA SHEET

Features

Product name:	Ayrton 156 - HIT-CE - White
Article Code:	L612220
Colour:	White
Material:	Die-cast Aluminium, technopolymer
Series:	Architectural
Environment:	Indoor
Area contract:	

OPTICS


Emission:	Direct
-----------	--------

DIMENSIONS

Cutout width:	(cm) 15.6
Cutout diameter:	(cm) 13.7
Recessed depth:	(cm) 16.3
Inclination:	45
Rotation:	355
Cutout shape:	Rounded
Weight:	1.5
Glow Wire Test:	850 °

LAMPS NOT INCLUDED

Category:	HQI
Number:	1
Lbs:	HIT-CE
Watt:	70
Socket:	G12
Type:	MT/UB-70
Luminous Flux (lm):	6600
Colour Rendering:	80-85
Colour temperature (K):	3000
Duration (h):	12000


Dimensions**LAMP**IP20   **ELECTRICAL**

Starter:	Electronic Remote
Trasformer availability:	Remote
Voltage:	230-240V

ACCESSORIES



Electronic ballast 230-240V. Class I. For HIT 1x70W. 150x80x35mm. M070522



Mounting box for cut outs in concrete L621003