

# PRODUCT DATA SHEET

# Mini Flap System Wall - Indirect emission - T16 54W Dimmable DALI - 1185mm



#### **DESIGN BY:**

Bruno Houssin + Alain Girot

#### **MATERIALS:**

Extruded Aluminium

#### **DESCRIPTION:**

Linear system for wall mounting with direct and direct-indirect lighting, using 1x24W to 1x80W T16 fluorescent lamps. Extruded aluminium body with metallic grey paint finish. Direct diffused wall washer lighting. Electronic ballast or Switchdim dimmable electronic ballast. 90° connectors available on request. Polycarbonate dust-protection screen as an DALIoptional extra. Slimline finishing end caps. Complies with standard EN60598-1 and other specific standards.

#### Light emission

Direct Wall Washer, dual Emission



### **TECHNICAL DATA SHEET**

**Features** 

Product name:

Mini Flap System Wall - Indirect emission - T16 54W Dimmable DALI - 1185mm

M150268 Metal Grev

Material: Extruded Aluminium Series: Architectural Environment: Indoor

Area contract:

Article Code:

Colour:

### **OPTICS**

Emission: Direct Wall Washer, dual Emission

# **DIMENSIONS**

Length: (cm) 118 Width: (cm) 12.8 Height: (cm) 4.8

Cutout shape:

Weight:

### LAMPS NOT INCLUDED

Category: FLUO Number: Lbs: T16 Watt: 54 G5 Socket: FDH-54 Type: Luminous Flux (Im): 4450 Colour Rendering: 85 Colour temperature (K): 3000 Duration (h): 20000

#### **Dimensions**



### LAMP





## **ELECTRICAL**

Starter: Electronic Dimmable DALI

Voltage: 220V-240V



### **ACCESSORIES**

MINI FLAP SYSTEM - Flat end cap, indirect emission. Thickness 2mm. Right. metal grey M159561

MINI FLAP SYSTEM - Flat end cap, indirect emission. Thickness 2mm. Left. metal grey M159661



MINI FLAP SYSTEM - Dustprotection polycarbonate screen. 2 pieces required. For modules 1185mm long. M080515