

# PRODUCT DATA SHEET

## Mini Flap System Wall - Indirect emission - T16 35W Dimmable DALI - 1485mm



#### **DESIGN BY:**

Bruno Houssin + Alain Girot

#### **MATERIALS:**

Extruded Aluminium

#### **DESCRIPTION:**

Linear system for wall mounting with direct and direct-indirect lighting, using 1x24W to 1x80W T16 fluorescent lamps. Extruded aluminium body with metallic grey paint finish. Direct diffused wall washer lighting. Electronic ballast or Switchdim dimmable electronic ballast. 90° connectors available on request. Polycarbonate dust-protection screen as an DALIoptional extra. Slimline finishing end caps. Complies with standard EN60598-1 and other specific standards.

#### Light emission

Direct Wall Washer, dual Emission



### **TECHNICAL DATA SHEET**

**Features** 

Product name:

Mini Flap System Wall - Indirect emission - T16 35W Dimmable DALI - 1485mm

M150368 Article Code: Metal Grev Colour:

Material: Extruded Aluminium Series: Architectural Environment: Indoor

Area contract:

### **OPTICS**

Emission: Direct Wall Washer, dual Emission

### **DIMENSIONS**

Length: (cm) 148 (cm) 12.8 Width: Height: (cm) 4.8

Cutout shape:

Weight:

#### LAMPS NOT INCLUDED

Category: FLUO Number: Lbs: T16 Watt: 35 Socket: G5 FDH-35 Type: Luminous Flux (Im): 3300 Colour Rendering: 85 Colour temperature (K): 3000 Duration (h): 20000

#### **Dimensions**



### LAMP





### **ELECTRICAL**

Starter: Electronic Dimmable DALI

Voltage: 220V-240V



### **ACCESSORIES**

MINI FLAP SYSTEM - Flat end cap, indirect emission. Thickness 2mm. Right. metal grey M159561

MINI FLAP SYSTEM - Flat end cap, indirect emission. Thickness 2mm. Left. metal grey M159661



MINI FLAP SYSTEM - Dustprotection polycarbonate screen. 2 pieces required. For modules 1485mm long. M080525