

# **A.24 - Ceiling Sharping Emission - Curved Elements - 24° - R=750mm - $\alpha=90^\circ$ - 4000K - Black**



IP20   Dimmerable: 


## **DESIGN BY**

Carlotta de Bevilacqua

## **DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

## **TECHNICAL DRAWINGS**



## **FEATURES**

<b>Article Code:</b>	AQ63504	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Black		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

## **DIMENSIONS**

<b>Width:</b>	cm 2,7
<b>Height:</b>	cm 5,4

## **INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	4000K
<b>Number:</b>	1	<b>CRI:</b>	90
<b>Watt:</b>	25W		
<b>Type:</b>	0		

## **LUMINAIRE**

<b>Watt:</b>	25W	<b>Delivered lumens output (lm):</b>	1678lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	80

## **Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. Bracket for fixing to ceiling is included: 1 for 1176mm length - 2 for 2352 mm length. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

**ACCESSORIES**


150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White  
AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black  
AQ17204




A.24 - Flexible Cover L=10m - Black  
AQ92004



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI  
AQ16801



A.24 - Insulating Spacer (1x) - Black  
AQ35204



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable  
AQ17801



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17301  
A.24 - Wall/Ceiling Accessories - Transition Cap - Black  
AQ39404



A.24 - Recessed Power Supply Kit  
AQ16800

A.24 - Louver for Couvred Elements - R=750mm - White (Order 1pc for 45°, 2 pcs for



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17304  
A.24 - Louver for Couvred Elements - R=750mm - Black (Order 1pc for 45°, 2 pcs for 90°)



90°)  
AQ91101


AQ91104




A.24 - Flexible  
Cover L=10m -  
White  
AQ92001




150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17701



A.24 - Wall/Ceiling  
Accessories - End  
Cap (2x) - Black  
AQ35004



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17704



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200