

A.24 - Ceiling Sharping Emission - Curved Elements - 62° - R=750mm - α=90° - 4000K - Brushed Bronze



IP20   Dimmerable: 


DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ63620	Series:	Indoor, 2018
Colour:	Brushed Bronze		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

DIMENSIONS

Width:	cm 2.7
Height:	cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	4000K
Number:	1	CRI:	90
Watt:	25W		
Type:	0		

LUMINAIRE

Watt:	25W	Delivered lumens output (lm):	1555lm
		CCT:	4000K
		CRI:	80

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. Bracket for fixing to ceiling is included: 1 for 1176mm length - 2 for 2352 mm length. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

ACCESSORIES


A.24 - Wall/Ceiling
Accessories - End
Cap (2x) - Brushed
Bronze
AQ35020



150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17901




150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17904




240W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18000



150W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18100



240W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17201



240W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17204



A.24 - Flexible
Cover L=10m -
Black
AQ92004



A.24 - Remote Box
Power Supply Kit -
313x243x57,5h -
(230VAC-48VDC
240W DALI)
AQ16000



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 - DALI
AQ16801



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable
AQ17801



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17301



A.24 - Recessed
Power Supply Kit
AQ16800



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -

Black
AQ17304



A.24 - Louver for
Curved Elements
- R=750mm -
White (Order 1pc
for 45°, 2 pcs for
90°)
AQ91101




A.24 - Wall/Ceiling
Accessories -
Transition Cap -
Brushed bronze
AQ39420



A.24 - Louver for
Curved Elements
- R=750mm - Black
(Order 1pc for 45°,
2 pcs for 90°)
AQ91104




A.24 - Flexible
Cover L=10m -
White
AQ92001



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17701



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17704



DALI to DALI-Selv
Interface
103x67x21H
AQ18200



A.24 - Insulating
Spacer (1x) -
Brushed Bronze
AQ35220