

## A.24 - Recessed Sharping Emission - Curved Elements - 24° - R=561mm - $\alpha=90^\circ$ - 3000K - Black



IP20   Dimmerable: 


### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

### TECHNICAL DRAWINGS



### FEATURES

Article Code:	AQ51304	Series:	Indoor, 2018
Colour:	Black		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

### DIMENSIONS

Width:	cm 2.7
Recessed depth:	cm 5.4

### INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	12W		
Type:	0		

### LUMINAIRE

Watt:	12W	Delivered lumens output (lm):	839lm
		CCT:	3000K
		CRI:	90

### Notes


\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**


150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17901



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17904



240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000



150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100



240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17201



240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17204



A.24 - Flexible  
Cover L=10m -  
Black  
AQ92004



A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 - DALI  
AQ16801



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable  
AQ17801



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17301



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17304



A.24 - Recessed  
Accessories -  
Transition Cap -  
Black  
AQ29004

A.24 - Louver for  
Curved Elements  
- White (Order 1 pc  
for R=561-60°/90°



R=750 45°, 2 pcs



A.24 - Recessed  
Accessories -  
Insulating Spacer  
(1x) - Black  
AQ24104

A.24 - Recessed  
Accessories - End




Cap (2x) - Black

for R=750 90°)  
AQ91101

AQ25004



A.24 - Louver for  
Curved Elements  
- Black (Order 1pc  
for R=561 60°/90°  
R=750 45°, 2 pcs  
for R=750 90°)  
AQ91104



A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17701




150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17704



A.24 - Flexible  
Cover L=2m -  
White  
AQ92101



A.24 - Flexible  
Cover L=2m -  
Black  
AQ92104



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200