

## A.24 - Recessed Sharping Emission - Curved Elements - 24° - R=750mm - $\alpha=45^\circ$ - 2700K - Black



IP20   Dimmerable: 


### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

### TECHNICAL DRAWINGS



### FEATURES

Article Code:	AQ52804	Series:	Indoor, 2018
Colour:	Black		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

### DIMENSIONS

Width:	cm 2,7
Recessed depth:	cm 5,4

### INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Type:	0		

### LUMINAIRE

Watt:	12W	Delivered lumens output (lm):	839lm
		CCT:	2700K
		CRI:	90

### Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**


150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17901



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17904




240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000



150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100



240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17201



240W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17204



A.24 - Flexible  
Cover L=10m -  
Black  
AQ92004



A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 - DALI  
AQ16801



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable  
AQ17801




240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17301



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17304



A.24 - Recessed  
Accessories -  
Transition Cap -  
Black  
AQ29004




A.24 - Recessed  
Accessories -  
Insulating Spacer  
(1x) - Black  
AQ24104




A.24 - Louver for  
Courved Elements  
- R=750mm -  
White (Order 1pc  
for 45°, 2 pcs for  
90°)  
AQ91101  
A.24 - Louver for  
Courved Elements  
- R=750mm - Black  
(Order 1pc for 45°,  
2 pcs for 90°)




AQ91104



A.24 - Recessed  
Accessories - End  
Cap (2x) - Black  
AQ25004




A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17701



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17704



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200