

A.24 - Recessed Sharping Emission - Track - Direct Emission - 2352mm - 24° - 2700K - Black



IP20 Dimmerable:


DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ21504	Series:	Indoor, 2018
Colour:	Black	Emission:	Artemide Collection Direct
Installation:	Recessed, Wall, Suspension, Ceiling		
Environment:	Indoor		

DIMENSIONS

Length:	cm 235.2
Width:	cm 2.7
Weight:	kg 2.7
Recessed depth:	cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	50W	Service Life:	L70 (6K) 50000h
Type:	0		

LUMINAIRE

Watt:	46W	Delivered lumens output (lm):	3056lm
		CCT:	2700K
		CRI:	90

Notes

*Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.


ACCESSORIES




150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White
AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black
AQ17904




240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18100



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White
AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black
AQ17204



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)
AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI
AQ16801



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable
AQ17801



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White
AQ17301




240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black
AQ17304



A.24 - Sharping Kit L=2352mm - Black
AQ26104




A.24 - Recessed Accessories - Transition Cap - Black
AQ29004




A.24 - Recessed Accessories - Insulating Spacer (1x) - Black
AQ24104



A.24 - Recessed Accessories - End Cap (2x) - Black
NO IMAGE AVAILABLE




150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable




150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable

AQ25004



DALI to DALI-Selv
Interface
103x67x21H
AQ18200

DALI - White
AQ17701



A.24 - Sharping Kit
L=2352mm -
White
AQ26101

DALI - Black
AQ17704