PRODUCT DATA SHEET PRODUCT CODE: AQ23204

# A.24 - Recessed Sharping Emission - Track - Direct Emission - 2352mm - 62° - 3000K - Black



## IP20 ♠ C€ Dimmerable: +①-


#### **DESIGN BY**

Carlotta de Bevilacqua

#### **DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

#### **TECHNICAL DRAWINGS**



#### **FEATURES**

| Article Code: | AQ23204             | Series:   | Indoor, 2018        |
|---------------|---------------------|-----------|---------------------|
| Colour:       | Black               |           | Artemide Collection |
| Installation: | Recessed, Wall,     | Emission: | Direct              |
|               | Suspension, Ceiling |           |                     |
| Environment:  | Indoor              |           |                     |

#### **DIMENSIONS**

 Length:
 cm 235.2

 Width:
 cm 2.7

 Weight:
 kg 2.7

 Recessed depth:
 cm 5.4

#### **INCLUDED SOURCES**

| Category: | LED | Color temperature (K): | 3000 |
|-----------|-----|------------------------|------|
| Number:   | 1   | CRI:                   | 90   |
| Watt:     | 50W |                        |      |
| Type:     | 0   |                        |      |

#### **LUMINAIRE**

| Watt: | 50W | Delivered lumens output (lm): 3461lm |       |
|-------|-----|--------------------------------------|-------|
|       |     | CCT:                                 | 3000K |
|       |     | CRI:                                 | 90    |

#### Notes

<sup>\*</sup>Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

### PRODUCT DATA SHEET

#### **ACCESSORIES**



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17901

150W Bare power

supply + plug

IP20 -

230VAC-48VDC

Undimmable (for

dimmable version

to be combined

with "DALI-Selv interface") AQ18100



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Remote Box Power Supply Kit -313x243x57.5h -(230VAC-48VDC 240W DALI) AQ16000



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 - DALI AQ16801



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17301



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17304



NO

IMAGE AVAILABLE

A.24 - Recessed Accessories **Insulating Spacer** (1x) - Black AQ24104 150W Ceiling power supply kit -321x91x111H -230VAC-48VDC



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable AQ17801

A.24 - Sharping Kit

L=2352mm - Black

A.24 - Recessed

NO IMAGE

VAILABL

Accessories - End

AQ26104



A.24 - Recessed Accessories Black AQ29004 150W Ceiling 321x91k111H



Transition Cap power supply kit -230VAC-48VDC



IP20 - Dimmable

IP20 - Dimmable



DALI to DALI-Selv Interface 103x67x21H AQ18200



DALI - White

AQ17701

A.24 - Sharping Kit L=2352mm -White AQ26101