PRODUCT DATA SHEET PRODUCT CODE: AQ41815

A.24 - Suspension Diffused Emission - 90° Angle (same plane) - Direct Emission - 2700K - Brushed Silver




DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

TECHNICAL DRAWINGS



FEATURES

ILATORES			
Article Code:	AQ41815	Series:	Indoor, 2018
Colour:	Brushed Silver		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		
DIMENSIONS			
Length:	cm 31.5		
Width:	cm 31.5		
Weight:	kg 0.9		
Recessed depth:	cm 5.4		
INCLUDED SOURCES			
Category:	LED	Color temperature (K):	2700K

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	16W	Service Life:	L70 (6K) 50000h
Туре:	0		

LUMINAIRE

Watt:	16W	Delivered lumens output (lm): 1421lm	
		сст:	2700K
		CRI:	80

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

PRODUCT DATA SHEET

ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Opal Diffusing Screen -10m AQ16200

150W Bare power

supply + plug

IP20 -

230VAC-48VDC

Undimmable (for

dimmable version

to be combined

with "DALI-Selv

interface")

AQ18100



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



A.24 - Opal Diffusing Screen -25m AQ16300



A.24 - Opal Diffusing Screen -50m AQ16400



A.24 - Flexible **Opal Diffusing** Screen - 50m AQ90200



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



A.24 - Flexible **Opal Diffusing** Screen - 25m AQ90100



A.24 - Suspension Accessories - End Cap (2x) - Brushed Silver AQ45115



A.24 - Flexible **Opal Diffusing** Screen - 10m AQ90000



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC

White

AQ17104



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17604



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



A.24 - Suspension Accessories -Transition Cap -Brushed silver AQ49415



AQ17601

150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



A.24 - Suspension Accessories -Insulating Spacer (1x) - Brushed Silver AQ45215



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101