


A.24 - Suspension Diffused Emission - Curved Elements - R=750mm - α =90° - 2700K - Brushed Bronze


DESIGN BY Carlotta de Bevilacqua

DESCRIPTION



TECHNICAL DRAWINGS

Artemide PRODUCT DATA SHEET



Article Code:	AQ73720	Series:	Indoor, 2018
Colour:	Brushed Bronze		Artemide Collection
Installation:	Ceiling, Suspension, Wall, Recessed	Emission:	Direct
Environment:	Indoor		
DIMENSIONS			
Width:	cm 2.7		
Recessed depth:	cm 5.4		
INCLUDED SOURCES			
Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	34W	Service Life:	L70 (6K) 50000h
Туре:	0		
LUMINAIRE			
Watt:	34W	Delivered lumens output (lm)	: 2374lm
		сст:	2700K
		CRI:	80

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ73720

ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



Suspension Accessories -**Recessed Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



A.24 - Flexible Opal Diffusing Screen - 10m AQ90000



A.24 - Flexible Opal Diffusing Screen - 50m AQ90200

A.24 - Suspension

NO IMAGE AVAILABLE

Flexible Opal **Diffusing Screen** AQ90300



A.24 - Suspension Accessories -**Ceiling Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Suspension Accessories -**Ceiling Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



A.24 - Flexible Opal Diffusing Screen - 25m AQ90100



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104 150W Ceiling power supply kit -351x61x111H -

March 2019

We reserve the right to change our product specifications. Please visit www.artemide.com for the latest product information ower supply kit -351x61x111H -

150W Ceiling

Accessories - End Cap (2x) - Brushed



230VAC-48VDC IP20 -Undimmable -White AQ17601



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



AQ45120



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



230VAC-48VDC IP20 -Undimmable -Black AQ17604



DALI to DALI-Selv Interface 103x67x21H AQ18200



A.24 - Suspension Accessories -Transition Cap -Brushed bronze AQ49420



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



A.24 - Suspension Accessories -Insulating Spacer (1x) - Brushed Bronze AQ45220



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404