





## A.24 - Suspension Diffused Emission - Track - Direct Emission - 1176mm - 4000K - Brushed Silver




IP20    Dimmerable: 

### DESIGN BY

Carlotta de Bevilacqua

### DESCRIPTION

### TECHNICAL DRAWINGS



### FEATURES

<b>Article Code:</b>	AQ41115	<b>Series:</b>	Indoor, 2018 Artemide Collection
<b>Colour:</b>	Brushed Silver	<b>Emission:</b>	Direct
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling		
<b>Environment:</b>	Indoor		

### DIMENSIONS

<b>Length:</b>	cm 117.6
<b>Width:</b>	cm 2.7
<b>Weight:</b>	kg 1.7
<b>Recessed depth:</b>	cm 5.4

### INCLUDED SOURCES

<b>Category:</b>	LED	<b>Color temperature (K):</b>	4000K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	33W	<b>CRI:</b>	80
<b>Type:</b>	0	<b>Service Life:</b>	L70 (6K) 50000h

### LUMINAIRE

<b>Watt:</b>	33W	<b>Delivered lumens output (lm):</b>	3013lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	80

### Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**


Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ15404




A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ16101



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ16104




A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



A.24 - Opal  
Diffusing Screen -  
10m  
AQ16200




Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ15401




240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000




150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100




A.24 - Opal  
Diffusing Screen -  
25m  
AQ16300




A.24 - Opal  
Diffusing Screen -  
1176mm  
AQ16500




A.24 - Opal  
Diffusing Screen -  
3528mm  
AQ16700



A.24 - Flexible  
Opal Diffusing  
Screen - 10m  
AQ90000



A.24 - Flexible  
Opal Diffusing  
Screen - 25m  
AQ90100




A.24 - Flexible  
Opal Diffusing  
Screen - 50m  
AQ90200



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black

AQ17104



A.24 - Suspension  
Accessories - End  
Cap (2x) - Brushed  
Silver  
AQ45115



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17601



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17604




150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17501



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed silver  
AQ49415



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



A.24 - Suspension  
Accessories -  
Insulating Spacer  
(1x) - Brushed  
Silver  
AQ45215



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101