
A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=561mm - α =60° - 3000K - Brushed Bronze



TECHNICAL DRAWINGS



DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

| FEATURES | | | |
|--|--|---|---|
| Article Code: Colour: | AQ70320 Brushed Bronze | Series: | Indoor, 2018 Artemide Collection |
| Installation: | Recessed, Wall, Suspension, Ceiling | Emission: | Direct |
| Environment: | Indoor | | |
| DIMENSIONS | | | |
| Width: Height: | cm 2.7 cm 5.4 | | |
| INCLUDED SOURCES | | | |
| Category: Number: Watt: Type: | LED 1 12W 0 | Color temperature (K): Color Tolerance: Service Life: | 2700K MacAdam 2SDCM L70 (6K) 50000h |
| LUMINAIRE | | | |
| Watt: | 12W | Delivered lumens output (lm) CCT: CRI: | : 839lm 3000K 80 |
| Notes | | | |

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ70320

ACCESSORIES



Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100

150W Ceiling

power supply kit -

351x61x111H -

230VAC-48VDC

Undimmable -

IP20 -

Black

AQ17604



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104




150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501

A.24 - Louver for Courved Elements March 2019

A.24 - Suspension Accessories - End Cap (2x) - Brushed Bronze AQ45120



A.2



- White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91101



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Insulating Spacer (1x) -Brushed Bronze AQ45320



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



0000

A.24 - Louver for

Courved Elements

- Black (Order 1pc

for R=561 60°/90°

R=750 45°, 2 pcs

for R=750 90°)

AQ91104

A.24 - Flexible Cover L=2m -



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



NO

IMAGE

AVAILABLE



A.24 - Suspension Accessories -Transition Cap -Brushed bronze AQ49420



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101

AVAILABLE

Black AQ92104

