PRODUCT DATA SHEET PRODUCT CODE: AQ70315

A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=561mm - α =60° - 3000K - Brushed Silver




DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ70315	Series:	Indoor, 2018
Colour:	Brushed Silver		Artemide Collection
Installation:	Recessed, Wall,	Emission:	Direct
	Suspension, Ceiling		

Environment: Indoor

DIMENSIONS

 Width:
 cm 2.7

 Height:
 cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Type:	0		

LUMINAIRE

Natt:	12W	Delivered lumens output (lm): 839lm	
		сст:	3000K
		CRI:	80

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



A.24 - Suspension

Modules (230VAC-

48VDC 240W DALI)

Accessories -

Ceiling Power

Supply Kit For

Suspension

Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



A.24 - Insulating Spacer (1x) -**Brushed Silver** AQ45315



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104



A.24 - Suspension Accessories - End Cap (2x) - Brushed Silver AQ45115



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601 A.24 - Louver for **Courved Elements**



150W Ceiling power supply kit -351x61x111H 230VAC-48VDC IP20 -Undimmable -Black AQ17604 150W Ceiling power supply - kit

White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs

321x91x111H 230VAC-48VDC

power supply - kit

150W Ceiling



DALI - White AQ17501



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



for R=750 90°) AQ91101



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Flexible Cover L=2m -White AQ92101



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



DALI - Black AQ17504



A.24 - Suspension Accessories -Transition Cap -Brushed silver AQ49415

NO IMAGE AVAILABLE

A.24 - Flexible Cover L=2m -Black AQ92104



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101