PRODUCT DATA SHEET PRODUCT CODE: AQ72820

A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=750mm - α =45° - 2700K - Brushed Bronze




DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

DIMENSIONS

Article Code:	AQ72820	Series:	Indoor, 2018
Colour:	Brushed Bronze		Artemide Collection
Installation:	Recessed, Wall,	Emission:	Direct
	Suspension, Ceiling		
Environment:	Indoor		

 Width:
 cm 2.7

 Height:
 cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Туре:	0		

LUMINAIRE

 Watt:
 12W
 Delivered lumens output (Im): 839lm

 CCT:
 2700K

 CRI:
 90

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000

150W Bare power

supply + plug

IP20 -

230VAC-48VDC

Undimmable (for

dimmable version

to be combined

with "DALI-Selv

interface")

AQ18100





A.24 - Suspension

Modules (230VAC-

48VDC 240W DALI)

Accessories -

Ceiling Power

Supply Kit For

Suspension

- Black

AQ16104

48VDC 240W DALI) - White AQ15401



351x61x111H -230VAC-48VDC IP20 -Undimmable -Black



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601

A.24 - Louver for



240W Ceiling power supply kit -AQ17104



Courved Elements - White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°)



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000

A.24 - Suspension

Accessories - End Cap (2x) - Brushed

Bronze

AQ45120



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -



AQ91101 150W Ceiling power supply - kit



321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Insulating Spacer (1x) -Brushed Bronze AQ45320



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Flexible Cover L=2m -White AQ92101



A.24 - Suspension Accessories -Transition Cap -Brushed bronze AQ49420



A.24 - Flexible Cover L=2m -Black AQ92104



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101