
A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=750mm - α =45° - 3000K - White



TECHNICAL DRAWINGS



DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

FEATURES			
Article Code: Colour:	AQ72301 White	Series:	Indoor, 2018 Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		
DIMENSIONS			
Width: Height:	cm 2.7 cm 5.4		
INCLUDED SOURCES			
Category: Number: Watt: Type:	LED 1 12W 0	Color temperature (K): Color Tolerance: Service Life:	2700K MacAdam 2SDCM L70 (6K) 50000h
LUMINAIRE			
Watt:	12W	Delivered lumens output (lm) CCT: CRI:	: 839lm 3000K 80
Notes			

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ72301

ACCESSORIES



A.24 - Suspension Accessories -Transition Cap -White AQ49401



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Suspension Accessories - End Cap (2x) - White AQ45101



Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104 150W Ceiling power supply kit -351x61x111H -230VAC 48VDC



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Insulating Spacer (1x) - White AQ45301



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601 A.24 - Louver for Courved Elements White (Order 1pc for R=561-60°/90°



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100

We reserve the right to change our product specifications. Please visit www.artemide.com for the latest product information March 2019

Undimmable -Black AQ17604

for R=750 90°) AQ91101



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Flexible Cover L=2m -White AQ92101



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Flexible Cover L=2m -Black AQ92104



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101