
A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=750mm - α =90° - 2700K - Brushed Bronze



TECHNICAL DRAWINGS



DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

| FEATURES | | | |
|--------------------------|-----------------------------------|--------------------------------------|-------------------------------|
| Article Code: | AQ73820 | Series: | Indoor, 2018 |
| Colour: Installation: | Brushed Bronze Recessed, Wall, | Emission: | Artemide Collection Direct |
| | Suspension, Ceiling | Emission. | Direct |
| Environment: | Indoor | | |
| DIMENSIONS | | | |
| Width: | cm 2.7 | | |
| Height: | cm 5.4 | | |
| INCLUDED SOURCES | | | |
| Category: | LED | Color temperature (K): | 2700K |
| Number: | 1 | Color Tolerance: | MacAdam 2SDCM |
| Watt: | 25W | Service Life: | L70 (6K) 50000h |
| Туре: | 0 | | |
| LUMINAIRE | | | |
| Watt: | 25W | Delivered lumens output (lm): 1678lm | |
| | | CCT: | 2700K |
| | | CRI: | 90 |
| Notes | | | |

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ73820

ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100

150W Ceiling

power supply kit -

351x61x111H -

230VAC-48VDC

IP20 -Undimmable -

Black

AQ17604



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Suspension Accessories -**Recessed Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17601




A.24 - Louver for Courved Elements - White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91101

150W Ceiling

March 2019

H

A.24 - Suspension Accessories - End Cap (2x) - Brushed Bronze AQ45120



power supply - kit



A.24 - Louver for Courved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Flexible Cover L=2m -White AQ92101



A.24 - Suspension Accessories -Transition Cap -Brushed bronze AQ49420



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101



A.24 - Flexible Cover L=2m -Black AQ92104



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Insulating Spacer (1x) -Brushed Bronze AQ45320



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404