

**A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=750mm - α=90° - 3000K - Brushed Bronze**



IP20   Dimmerable: 


**DESIGN BY**

Carlotta de Bevilacqua

**DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

**TECHNICAL DRAWINGS**



**FEATURES**

<b>Article Code:</b>	AQ73320	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Brushed Bronze	<b>Emission:</b>	Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling		Direct
<b>Environment:</b>	Indoor		

**DIMENSIONS**

<b>Width:</b>	cm 2.7
<b>Height:</b>	cm 5.4

**INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	2700K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	25W	<b>Service Life:</b>	L70 (6K) 50000h
<b>Type:</b>	0		

**LUMINAIRE**

<b>Watt:</b>	25W	<b>Delivered lumens output (lm):</b>	1678lm
		<b>CCT:</b>	3000K
		<b>CRI:</b>	80

**Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

**ACCESSORIES**



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ15404



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ16101



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ16104



A.24 - Flexible Cover L=10m - Black  
AQ92004




A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17104



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17601



A.24 - Suspension Accessories - End Cap (2x) - Brushed Bronze  
AQ45120



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17604

A.24 - Louver for Couvred Elements - R=750mm - White (Order 1pc for 45°, 2 pcs for 90°)

150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable

A.24 - Louver for Couvred Elements - R=750mm - Black (Order 1pc for 45°, 2 pcs for 90°)



90°)  
AQ91101



DALI - White  
AQ17501



AQ91104




150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



A.24 - Insulating  
Spacer (1x) -  
Brushed Bronze  
AQ45320



DALI to DALI-SelV  
Interface  
103x67x21H  
AQ18200



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed bronze  
AQ49420



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101