

# A.24 - Suspension Sharping Emission - Curved Elements - 62° - R=750mm - $\alpha=45^\circ$ - 3000K - Black



IP20   Dimmerable: 


## DESIGN BY

Carlotta de Bevilacqua

## DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

## TECHNICAL DRAWINGS



## FEATURES

|               |                                     |           |                     |
|---------------|-------------------------------------|-----------|---------------------|
| Article Code: | AQ72404                             | Series:   | Indoor, 2018        |
| Colour:       | Black                               |           | Artemide Collection |
| Installation: | Recessed, Wall, Suspension, Ceiling | Emission: | Direct              |
| Environment:  | Indoor                              |           |                     |

## DIMENSIONS

|         |        |
|---------|--------|
| Width:  | cm 2,7 |
| Height: | cm 5,4 |

## INCLUDED SOURCES

|           |     |                        |                 |
|-----------|-----|------------------------|-----------------|
| Category: | LED | Color temperature (K): | 2700K           |
| Number:   | 1   | Color Tolerance:       | MacAdam 2SDCM   |
| Watt:     | 12W | Service Life:          | L70 (6K) 50000h |
| Type:     | 0   |                        |                 |

## LUMINAIRE


|       |     |                               |       |
|-------|-----|-------------------------------|-------|
| Watt: | 12W | Delivered lumens output (lm): | 777lm |
|       |     | CCT:                          | 3000K |
|       |     | CRI:                          | 80    |

## Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

**ACCESSORIES**


A.24 - Suspension Accessories - Transition Cap - Black  
AQ49404



A.24 - Suspension Accessories - End Cap (2x) - Black  
AQ45104




Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ15404



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ16101



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ16104



A.24 - Flexible Cover L=10m - Black  
AQ92004



A.24 - Insulating Spacer (1x) - Black  
AQ45304



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17104



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17601



150W Ceiling power supply kit - 351x61x111H -



A.24 - Louver for Courved Elements - R=750mm -



150W Ceiling power supply - kit 321x91x111H -


230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17604

White (Order 1pc  
for 45°, 2 pcs for  
90°)  
AQ91101

230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17501




A.24 - Louver for  
Curved Elements  
- R=750mm - Black  
(Order 1pc for 45°,  
2 pcs for 90°)  
AQ91104



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Flexible  
Cover L=10m -  
White  
AQ92001



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101