

# A.24 - Suspension Sharping Emission - Track - Direct Emission - 2352mm - 62° - 3000K - Brushed Copper



IP20  Dimmerable: 


## DESIGN BY

Carlotta de Bevilacqua

## DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	AQ44218	Series:	Indoor, 2018
Colour:	Brushed Copper		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

## DIMENSIONS

Length:	cm 235.2
Width:	cm 2.7
Height:	cm 5.4
Weight:	kg 2.7

## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	CRI:	90
Watt:	50W		
Type:	0		

## LUMINAIRE

Watt:	50W	Delivered lumens output (lm):	3461lm
		CCT:	3000K
		CRI:	80

## Notes

\*Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.

**ACCESSORIES**


Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ15401



240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000



Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ15404



150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimmable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ16101



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ16104




A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



A.24 - Sharping Kit  
L=2352mm - Black  
AQ26104



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17104



A.24 - Suspension  
Accessories - End  
Cap (2x) - Brushed  
Copper  
AQ45118



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17601  
150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17604  
A.24 - Insulating  
Spacer (1x) -  
Brushed Copper  
AQ45318




DALI - White  
AQ17501



DALI - Black  
AQ17504



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed copper  
AQ49418



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



A.24 - Sharping Kit  
L=2352mm -  
White  
AQ26101



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101