


SHARP


design
C. de Bevilacqua



TRIM



TRIMLESS







		IP 20		
		LED 1 from Dthr (m)		
		2700 K	3000 K	4000 K
FL		0,55	0,55	0,80
WF		0,45	0,45	0,70
XF		0,35	0,35	0,50



TRIM





TRIMLESS







SHARP TRIM



1



	A (mm)	B (mm)	H (mm) 	H (mm) 	Kg
1X	46	45	150	80	0,1
2X	46	80	130	60	0,2
4X	46	155	80	60	0,3
8X	46	302	60	80	0,6
12X	46	450	80	80	0,9
16X	46	600	80	80	1,2








2



⊕ Rosso/Red/Rouge/Rot

⊖ Nero/Black/Noir/Schwarz









SHARP TRIMLESS

1



Y513000731

2





⊕ Rosso/Red/Rouge/Rot




⊖ Nero/Black/Noir/Schwarz


L	L	900 mA	⊖	⊖
		SELV		
N	N	U _{OUT} ≤ 60V	⊕	⊕

3



4







Artemide Spa

via Bergamo, 18
20010 Pregnana M.se (MI)
ITALIA

Tel. +39 02 935 181
Fax +39 02 935 90 254
Fax +39 02 935 90 496

www.artemide.com

VAT IT00846890150