

BEGA**31 225**

Wall luminaire



Project · Reference number

Date

Product data sheet

Application

Wall luminaire made of copper and hand-blown crystal bubble glass.

An annular shield which is positioned in the centre of the incandescent lamp prevents glare from the luminaire without affecting the brilliance of the crystal bubble glass.

For many lighting tasks in or on buildings.

Product description

Luminaire made of copper

Wall mounting with a mounting plate made of stainless steel, Steel grade number 1.4301

2 mounting holes \varnothing 4.5 mm

Distance apart 52 mm

1 cable entry for mains supply cable

up to \varnothing 10,5 mm max. $3 \times 1,5^{\square}$

Connecting terminals $2,5^{\square}$

Earth conductor connection

Lampholder E 14

Safety class I

Protection class IP 44

Protected against granular foreign bodies

> 1 mm and splash water



– Safety mark

CE – Conformity mark

Weight: 2.3 kg

Copper

The luminaire parts made of solid copper are delivered with the metal's natural surface colour. Time and weather factors create the natural patina characteristic for copper.



Lamps

Luminaire with lampholder E 14

Lamp output max. 2×40 W

For this luminaire we recommend the following BEGA LED lamps:

13 549 LED 4 W · 470 lm · clear · 2700 K

13 593 LED 4 W · 470 lm · clear · 3000 K

Detailed technical and lighting data for the lamps can be found in the data sheets on our website.