

KAP 80 SURFACE SQUARE MAINS DIMMING

Number of heads	1
Mounting	Ceiling surface
Lamps description	LED Array 9,2W 810 lm 3000K CRI 90
Luminaire luminous flux	Extreme Cut-off. See reference number
Voltage (V)	220/240
Environment	Indoor



OPTICAL

Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	18° Spot

Kap 80 Surface Square Mains Dimming designed by FLOS Architectural

Luminaire for mounting on the ceiling with LED light source. Adjustable power source incorporated into luminaire body.



ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic dimmable
Emergency	Without
Insulation class	Class I

	03.5934.B1 - 720lm	White / White
	03.5934.14 - 720lm	Black / White
	03.5935.B1 - 711lm	White / Matt Gold
	03.5935.14 - 711lm	Black / Matt Gold
	03.5936.B1 - 690lm	White / Copper
	03.5936.14 - 690lm	Black / Copper
	03.5937.B1 - 650lm	White / Black
	03.5937.14 - 650lm	Black / Black
	03.5934.18 - 720lm	Deep Brown / White
	03.5935.18 - 711lm	Deep Brown / Gold
	03.5936.18 - 690lm	Deep Brown / Copper
	03.5937.18 - 650lm	Deep Brown / Black

PHYSICAL

Height (mm)	95
Construction material	Extruded aluminum
Weight (kg)	0,45



83

CERTIFICATIONS



Kap 80 Surface Square Mains Dimming . Lamps



LED Array

Lamp category:

LED

Socket:

Special base

Lamp type:


LED Array



Kap 80 Surface Square Mains Dimming designed by FLOS Architectural

Luminaire for mounting on the ceiling with LED light source. Adjustable power source incorporated into luminaire body.

	03.5934.B1 - 720lm	White / White
	03.5934.14 - 720lm	Black / White
	03.5935.B1 - 711lm	White / Matt Gold
	03.5935.14 - 711lm	Black / Matt Gold
	03.5936.B1 - 690lm	White / Copper
	03.5936.14 - 690lm	Black / Copper
	03.5937.B1 - 650lm	White / Black
	03.5937.14 - 650lm	Black / Black
	03.5934.18 - 720lm	Deep Brown / White
	03.5935.18 - 711lm	Deep Brown / Gold
	03.5936.18 - 690lm	Deep Brown / Copper
	03.5937.18 - 650lm	Deep Brown / Black



CERTIFICATIONS

