

NEUTRON I NO TRIM FLOOR

Number of heads	1
Mounting	Floor recessed
Lamps description	Power LED 4,2W 425 lm 3000K CRI 80
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Light controller description	Protection glass
Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	21°

ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic
Emergency	Without
Insulation class	Class II

PHYSICAL


Diameter (mm)	125
Recessed depth (mm)	85
Weight (kg)	1,02



Neutron I No Trim Floor designed by Piero Lissoni

No Trim recessed up-light luminaire. Safety glass. Integrated power supply source. Housing for recessed installation not included; supplied separately.

● 07.5000.14 - 328lm Black



CERTIFICATIONS



Neutron I No Trim Floor . Accessories

Mounting



● 08.8780.00

Housing for recessed installation. Not Adjustable

Housing for installation. Fixed.



● 08.8781.00

Recessed supports adjustable

Housing for installation. Adjustable.



Neutron I No Trim Floor
designed by Piero Lissoni

No Trim recessed up-light luminaire. Safety glass. Integrated power supply source. Housing for recessed installation not included; supplied separately.

● 07.5000.14 - 328lm Black

Neutron I No Trim Floor . Lamps



Power LED

Lamp category:


LED

Socket:

Special base

Lamp type:

Power LED



CERTIFICATIONS

