

TUBULAR BELLS PRO I WALL

Number of heads	1
Mounting	Wall surface
Lamps description	Phosphor LED 7,4W 720 lm 3000K CRI 98
Luminaire luminous flux	Extreme Cut-off. See reference number
Voltage (V)	220/240
Environment	Indoor

OPTICAL

Aiming	Fixed
Light distribution symmetry	Symmetric
Beam angle	31°, 32°

ELECTRICAL

Transformer availability	Included
Transformer mounting	Integral
Transformer type	Electronic
Emergency	Without
Insulation class	Class I

PHYSICAL




Construction material	Aluminium
Weight (kg)	0,90




Tubular Bells Pro I Wall



designed by Piero Lissoni

Luminaire for wall mounting with LED light source. Non-regulable 220-240V, 50-60Hz power supply integrated in luminaire body.


	07.9481.I.B - 394lm	Matt white
	07.9481.A.SB - 394lm	Satin alu./Grey
	07.9481.A.NB - 394lm	Black



CERTIFICATIONS



Tubular Bells Pro I Wall . Lamps



Phosphor LED

Lamp category:
LED


Lamp type:
Phosphor LED



Tubular Bells Pro I Wall
designed by Piero Lissoni

Luminaire for wall mounting with LED light source. Non-regulable 220-240V, 50-60Hz power supply integrated in luminaire body.

- 07.9481.I.B - 394lm Matt white
- 07.9481.A.SB - 394lm Satin alu./Grey
- 07.9481.A.NB - 394lm Black



CERTIFICATIONS

