# FLOS

# **NEUTRON I FIXED ROUND FLOOR**

L

Floor recessed

Indoor, Outdoor

100/240

Fixed

Symmetric

21° Medium

Included

Integral

Electronic

Without

Class I

See reference number

Power LED 7W 720 Im 3000K CRI 80

Number of heads Mounting Lamps description Luminaire luminous flux Voltage (V) Environment

### OPTICAL

Aiming Light distribution symmetry Beam angle

## ELECTRICAL

Transformer availability Transformer mounting Transformer type Emergency Insulation class

### PHYSICAL

Diameter (mm) Recessed depth (mm) Construction material Weight (kg) 125 120 Stainless steel 1,10






#### Neutron I Fixed Round Floor designed by Piero Lissoni

LED up-light. Cluster 7 LED module integrated. Electronic driver 100/240V integrated. Watertight connection device included.

07.9515.04B - 269lm	Matt black
07.9515.72B - 269lm	Grey
🔵 07.9515.55B - 269lm	Stainless steel
07.9515.PNB - 269lm	Stainless steel black
07.9515.PBB - 269lm	Stainless steel bruno
07.9515.PGB - 269lm	Stainless steel gold



# CERTIFICATIONS

67

# FLOS

### **Neutron I Fixed Round Floor . Accessories**

#### Electrical





#### Junction box

IP67 waterproof junction box: to be used for electrical connections.

### Mounting





07.9260.00

#### **Recessed supports**


Housing for installation in paved grounds made of thermoplastic material.




#### Neutron I Fixed Round Floor designed by Piero Lissoni

LED up-light. Cluster 7 LED module integrated. Electronic driver 100/240V integrated. Watertight connection device included.

07.9515.04B - 269lm	Matt black
07.9515.72B - 269lm	Grey
🔵 07.9515.55B - 269lm	Stainless steel
07.9515.PNB - 269lm	Stainless steel black
07.9515.PBB - 269lm	Stainless steel bruno
🛑 07.9515.PGB - 269lm	Stainless steel gold





# FLOS

**Neutron I Fixed Round Floor . Lamps** 



Power LED LED Socket: Special base Lamp type: Power LED



## Neutron I Fixed Round Floor designed by Piero Lissoni

LED up-light. Cluster 7 LED module integrated. Electronic driver 100/240V integrated. Watertight connection device included.

07.9515.04B - 269lm	Matt black
07.9515.72B - 269lm	Grey
🔵 07.9515.55B - 269lm	Stainless steel
07.9515.PNB - 269lm	Stainless steel black
07.9515.PBB - 269lm	Stainless steel bruno
<b>07.9515.PGB - 269</b> lm	Stainless steel gold

