

NEUTRON I FIXED ROUND FLOOR LED SIDE EMITING

Number of heads

Mounting Floor recessed

Power LED 1,5W 170 lm 3000K CRI 80 Lamps description

Luminaire luminous flux See reference number

Voltage (V) 100/240

Indoor, Outdoor **Environment**

OPTICAL

Aiming Fixed Light distribution symmetry Symmetric 109° Beam angle

ELECTRICAL

Transformer availability Included **Transformer mounting** Integral Transformer type Electronic **Emergency** Without Insulation class Class I

PHYSICAL

125 Diameter (mm) Recessed depth (mm) 120

Construction material Stainless steel

0,90 Weight (kg)







Neutron I Fixed Round Floor LED Side Emiting

designed by Piero Lissoni

Guide LED up-light. Electronic driver 100/240V integrated. Watertight connection device included.







CERTIFICATIONS






















Neutron I Fixed Round Floor LED Side Emiting. Accessories

Electrical





Junction box

IP67 waterproof junction box: to be used for electrical connections.

Mounting





Recessed supports

Housing for installation in paved grounds made of thermoplastic material.




Neutron I Fixed Round Floor LED Side Emiting

designed by Piero Lissoni

Guide LED up-light. Electronic driver 100/240V integrated. Watertight connection device included.

07.9525.04A - 72lm	Matt black
07.9525.72A - 72lm	Grey
07.9525.55A - 72lm	Stainless steel
07.9525.PNA - 72lm	Stainless steel black
07.9525.PBA - 72lm	Stainless steel bruno
07.9525.PGA - 72lm	Stainless steel gold



CERTIFICATIONS




















Neutron I Fixed Round Floor LED Side Emiting . Lamps



Power LED

Lamp category:

LED

Socket:

Special base

Lamp type:

Power LED



Neutron I Fixed Round Floor LED Side Emiting

designed by Piero Lissoni

Guide LED up-light. Electronic driver 100/240V integrated. Watertight connection device included.

 07.9525.04A - 72lm
 Matt black


 07.9525.72A - 72lm
 Grey

 07.9525.55A - 72lm
 Stainless steel

 07.9525.PNA - 72lm
 Stainless steel black

 07.9525.PBA - 72lm
 Stainless steel bruno

 07.9525.PGA - 72lm
 Stainless steel gold



CERTIFICATIONS















