


IN-FINITY 70 SUSPENSION DOWN 3000K GENERAL LIGHTING DALI

| | |
|--------------------------------|--|
| Number of heads | I |
| Mounting | Pendant |
| Lamps description | Top LED 23,1W/m 2877 lm/m 3000K CRI 80 |
| Luminaire luminous flux | See reference number |
| Voltage (V) | 220/240 |
| Environment | Indoor |
| Notes | Opal Diffuser: Diffuse, glare free and uniform lighting throughout the room. / Emergency: Emergency Module available in all versions, length 1400 mm. In normal use, it uses the same power consumption as the standard In-Finity. In emergency use, it emits 10% of normal use during 3 hours. Endcaps: must be ordered separately. Consult Flos Architectural team for a configuration without end caps. |



In-Finity 70 Suspension Down 3000K General Lighting Dali
designed by FLOS Architectural

OPTICAL

| | |
|------------------------------------|-----------|
| Aiming | Fixed |
| Light distribution symmetry | Symmetric |
| Beam angle | 103° |

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

ELECTRICAL

| | |
|---------------------------------|--------------------------|
| Transformer availability | Included |
| Transformer mounting | Integral |
| Transformer type | Electronic dimmable dali |
| Emergency | Without |
| Insulation class | Class I |

- N70D053G30BDA 565mm - 1262lm **White**
- N70D053G02BDA 565mm - 1262lm **Anodized Grey**
- N70D053G14BDA 565mm - 1262lm **Black**
- N70D083G30BDA 845mm - 1893lm **White**
- N70D083G02BDA 845mm - 1893lm **Anodized Grey**
- N70D083G14BDA 845mm - 1893lm **Black**
- N70D113G30BDA 1125mm - 2524lm **White**
- N70D113G02BDA 1125mm - 2524lm **Anodized Grey**
- N70D113G14BDA 1125mm - 2524lm **Black**
- N70D143G30BDA 1405mm - 3155lm **White**
- N70D143G02BDA 1405mm - 3155lm **Anodized Grey**
- N70D143G14BDA 1405mm - 3155lm **Black**
- N70D163G30BDA 1690mm - 3786lm **White**
- N70D163G02BDA 1690mm - 3786lm **Anodized Grey**
- N70D163G14BDA 1690mm - 3786lm **Black**
- N70D193G30BDA 1970mm - 4417lm **White**
- N70D193G02BDA 1970mm - 4417lm **Anodized Grey**
- N70D193G14BDA 1970mm - 4417lm **Black**
- N70D253G30BDA 2530mm - 5680lm **White**
- N70D253G02BDA 2530mm - 5680lm **Anodized Grey**
- N70D253G14BDA 2530mm - 5680lm **Black**
- N70D303G30BDA 3095mm - 6942lm **White**
- N70D303G02BDA 3095mm - 6942lm **Anodized Grey**
- N70D303G14BDA 3095mm - 6942lm **Black**
- N70DFC3G30BDA Flat Corner - 2524lm **White**
- N70DFC3G02BDA Flat Corner - 2524lm **Anodized Grey**
- N70DFC3G14BDA Flat Corner - 2524lm **Black**
- N70DEM3G30BDA Emergency - 3155lm **White**
- N70DEM3G02BDA Emergency - 3155lm **Anodized Grey**
- N70DEM3G14BDA Emergency - 3155lm **Black**

PHYSICAL

| | |
|------------------------------|-----------|
| Construction material | Aluminium |
|------------------------------|-----------|



In-Finity 70 Suspension Down 3000K General Lighting Dali . Accessories

Structural




- 08.9052.40
- 08.9052.02
- 08.9052.NS
- 08.9052.06

Metal cover. Surface / Suspension Down. 70 mm

Metal cover for the different profiles. 2 unit kit.


Mounting



- 08.0030

Suspension kit

One unit Suspension kit (L = 4 m).
Maximum distance between the suspension cables: 2 m.



In-Finity 70 Suspension Down 3000K General Lighting Dali designed by FLOS Architectural

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

- N70D053G30BDA 565mm - 1262lm **White**
- N70D053G02BDA 565mm - 1262lm **Anodized Grey**
- N70D053G14BDA 565mm - 1262lm **Black**
- N70D083G30BDA 845mm - 1893lm **White**
- N70D083G02BDA 845mm - 1893lm **Anodized Grey**
- N70D083G14BDA 845mm - 1893lm **Black**
- N70D113G30BDA 1125mm - 2524lm **White**
- N70D113G02BDA 1125mm - 2524lm **Anodized Grey**
- N70D113G14BDA 1125mm - 2524lm **Black**
- N70D143G30BDA 1405mm - 3155lm **White**
- N70D143G02BDA 1405mm - 3155lm **Anodized Grey**
- N70D143G14BDA 1405mm - 3155lm **Black**
- N70D163G30BDA 1690mm - 3786lm **White**
- N70D163G02BDA 1690mm - 3786lm **Anodized Grey**
- N70D163G14BDA 1690mm - 3786lm **Black**
- N70D193G30BDA 1970mm - 4417lm **White**
- N70D193G02BDA 1970mm - 4417lm **Anodized Grey**
- N70D193G14BDA 1970mm - 4417lm **Black**
- N70D253G30BDA 2530mm - 5680lm **White**
- N70D253G02BDA 2530mm - 5680lm **Anodized Grey**
- N70D253G14BDA 2530mm - 5680lm **Black**
- N70D303G30BDA 3095mm - 6942lm **White**
- N70D303G02BDA 3095mm - 6942lm **Anodized Grey**
- N70D303G14BDA 3095mm - 6942lm **Black**
- N70DFC3G30BDA Flat Corner - 2524lm **White**
- N70DFC3G02BDA Flat Corner - 2524lm **Anodized Grey**
- N70DFC3G14BDA Flat Corner - 2524lm **Black**
- N70DEM3G30BDA Emergency - 3155lm **White**
- N70DEM3G02BDA Emergency - 3155lm **Anodized Grey**
- N70DEM3G14BDA Emergency - 3155lm **Black**

In-Finity 70 Suspension Down 3000K General Lighting Dali . Accessories

Electrical



08.0031.00.DA

Power supply rose. Dali

Power supply rose for the hanging installation of the In-finity. The standard version comes with a three-pole cable for basic switching. The Dali version comes with a five-pole cable that can be used for double switching, independent from the direct and indirect lighting in the standard Up&Down version. Includes a 4 m suspension cable

In-Finity 70 Suspension Down 3000K General Lighting Dali . Lamps



Top LED

Lamp category:


LED

Socket:

Special base

Lamp type:

Top LED



In-Finity 70 Suspension Down 3000K General Lighting Dali designed by FLOS Architectural

LED modular system for suspended installation, including LED luminaires, aluminum installation profile, and diffusers. Drivers included in lighting modules for 220-240V connection to mains or to other lighting modules. Suspension kit not included.

- N70D053G308BDA 565mm - 1262lm **White**
- N70D053G028BDA 565mm - 1262lm **Anodized Grey**
- N70D053G148BDA 565mm - 1262lm **Black**
- N70D083G308BDA 845mm - 1893lm **White**
- N70D083G028BDA 845mm - 1893lm **Anodized Grey**
- N70D083G148BDA 845mm - 1893lm **Black**
- N70D113G308BDA 1125mm - 2524lm **White**
- N70D113G028BDA 1125mm - 2524lm **Anodized Grey**
- N70D113G148BDA 1125mm - 2524lm **Black**
- N70D143G308BDA 1405mm - 3155lm **White**
- N70D143G028BDA 1405mm - 3155lm **Anodized Grey**
- N70D143G148BDA 1405mm - 3155lm **Black**
- N70D163G308BDA 1690mm - 3786lm **White**
- N70D163G028BDA 1690mm - 3786lm **Anodized Grey**
- N70D163G148BDA 1690mm - 3786lm **Black**
- N70D193G308BDA 1970mm - 4417lm **White**
- N70D193G028BDA 1970mm - 4417lm **Anodized Grey**
- N70D193G148BDA 1970mm - 4417lm **Black**
- N70D253G308BDA 2530mm - 5680lm **White**
- N70D253G028BDA 2530mm - 5680lm **Anodized Grey**
- N70D253G148BDA 2530mm - 5680lm **Black**
- N70D303G308BDA 3095mm - 6942lm **White**
- N70D303G028BDA 3095mm - 6942lm **Anodized Grey**
- N70D303G148BDA 3095mm - 6942lm **Black**
- N70DFC3G308BDA Flat Corner - 2524lm **White**
- N70DFC3G028BDA Flat Corner - 2524lm **Anodized Grey**
- N70DFC3G148BDA Flat Corner - 2524lm **Black**
- N70DEM3G308BDA Emergency - 3155lm **White**
- N70DEM3G028BDA Emergency - 3155lm **Anodized Grey**
- N70DEM3G148BDA Emergency - 3155lm **Black**