# FLOS

### **USB SQUARE 2L**

Lamps description2 x QR-CBC-51 GU5.3 Max 50WVoltage (V)12EnvironmentIndoor

### OPTICAL

AimingFixedLight distribution symmetryDirect

### ELECTRICAL

Transformer availability Transformer mounting Transformer type Emergency Insulation class

### PHYSICAL

Weight (kg)

3

Separate item

Remote

Electronic

Without

Class III





### USB Square 2L


designed by FLOS Soft Architecture

Recessed luminaire for 12V halogen lamp. 220/240V, 50/60Hz. Adjustable by means of "leading and trailing edge". Remote transformer not included.

SA.3022.1 Raw

126





### CERTIFICATIONS



## F (

### **USB Square 2L**. Accessories

### Transformer



60.8139

#### **Electronic transformer** 20/105W

Electronic transformer 12V. 220/240V, 50/60Hz. Adjustable by means of "leading and trailing edge".






USB Square 2L designed by FLOS Soft Architecture

Recessed luminaire for 12V halogen lamp. 220/240V, 50/60Hz. Adjustable by means of "leading and trailing edge". Remote transformer not included.

SA.3022.1 Raw





CERTIFICATIONS

CE



IP 20

08.8270.00

Anti-Glare

Anti-Glare. 40° cut off accessory ring.



USB Square 2L . Lamps



QR-CBC-51 50W GU5.3 Lamp Watt: 50 W Lamp category: Halogen low voltage Socket:

GU5.3

Lamp type: QR-CBC-51




### USB Square 2L designed by FLOS Soft Architecture

Recessed luminaire for 12V halogen lamp. 220/240V, 50/60Hz. Adjustable by means of "leading and trailing edge". Remote transformer not included.

SA.3022.1 Raw





### CERTIFICATIONS

CE



