

# LINESCAPES WALL

Extension of the famous Linescapes collection, a family of versatile floor, wall and ceiling lamps with high luminous efficiency based on a linear design. Structure with integrated electronics in extruded aluminium and diffuser in polycarbonate for an easy installation. Dimmable and available in white and black finishes.



## L102 DIMMABLE PUSH | 2700K

### LAMPING

Source	Linear LED
Total power	19W
Emission	diffused
Switching	dimnable push
Tension	100/240V
Color temperature	2700K
Luminous flux	1125lm
Typ CRI	85
Dimensions	102x6x2
Notes	side emission, driver on board

### Codes

LIN LW2 35

LIN LN2 35

### Structure


white

black

### Certificazioni



### DRIVER ON BOARD



## L102 DIMMABLE PUSH | 3000K

### LAMPING

Total power	19W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	3000K
Luminous flux	1125lm
Typ CRI	85
Dimensions	102x6x2

### Codes

LIN LWD 35  
LIN LND 35


### Structure

white  
black

### Certificazioni



## DRIVER ON BOARD



## L182 DIMMABLE PUSH | 2700K

### LAMPING

Source	Linear LED
Total power	33W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	2700K
Luminous flux	1765lm
Typ CRI	85
Dimensions	182x6x2
Notes	side emission, driver on board

### Codes

LIN LW2 36

LIN LN2 36

### Structure


white

black

### Certificazioni



### DRIVER ON BOARD



## L182 DIMMABLE PUSH | 3000K

### LAMPING

Total power	33W
Emission	diffused
Switching	dimnable push
Tension	100-240V
Color temperature	3000K
Luminous flux	1765lm
Typ CRI	85
Dimensions	182x6x2

### Codes

LIN LWD 36  
LIN LND 36

### Structure

white  
black

### Certificazioni



## DRIVER ON BOARD

