



THEO UP/DOWN

QPAR51, wall light, white, max. 2x50W

Article number 1000327

Product family Theo

Feed-in capability No

Lampholder / Socket GU10

Number of light sources 2

Lamp included No

Width 7 cm

Height 22.3 cm

Depth 7.5 cm

Net weight 0.784 kg

Gross weight 0.86 kg

Voltage 230V ~50Hz

Max. wattage 50 Watt

Protection class I

Energy efficiency class A++

Way of mounting Surface mounted / Wall mounted

Lamp QPAR51

Colour white

Form square

Light distribution type 1 direct - indirect

Material Aluminium



Articles of this series

152081 THEO, wall light, QPAR51, square, up/down, white, max. 100 W

152082 THEO, wall light, QPAR51, square, up/down, silver-grey, max. 100 W

152089 THEO, wall light, QPAR51, square, up/down, brushed aluminium, max. 100 W

229521 THEO WALL, outdoor wall light, QPAR51, IP65, square, white, max. 35W

229524 THEO WALL, outdoor wall light, QPAR51, square, silver-grey, max. 35W

229525 THEO WALL, outdoor wall light, QPAR51, square, anthracite, max. 35W

229531 THEO, outdoor wall light, QPAR51, IP44, square, up/down, white, max. 70W

229532 THEO, outdoor wall light, QPAR51, IP44, square, up/down, silver-grey, max. 70W

229535 THEO, outdoor wall light, QPAR51, IP44, square, up/down, anthracite, max. 70W

229536 THEO, outdoor wall light, QPAR51, IP44, square, up/down, brushed aluminium, max. 70W

229581 THEO, outdoor ceiling light, QPAR51, IP23, square, white, max. 35W

229584 THEO, outdoor ceiling light, QPAR51, IP23, square, silver-grey, max. 35W

229585 THEO, outdoor ceiling light, QPAR51, IP23, square, anthracite, max. 35W

1000328 THEO UP/DOWN, QPAR51, wall light, silver-grey, max. 2x50W

1000329 THEO UP/DOWN, QPAR51, wall light, brushed aluminium, max. 2x50W

1000331 THEO UP/DOWN, QPAR51, outdoor wall light, natural aluminium, max. 2x50W, IP44

1000330 THEO UP/DOWN, wall light, QPAR51, anthracite, max. 2x50W

The THEO recessed wall light is made from aluminium and equipped with a glass that covers the lamp. Thanks to the position of the two incorporated sockets, the installed high-voltage halogen lamp with GU10 socket produces two equal but oppositely arranged light beams (UP/DOWN). The electrical connection of the luminaire, which comes in three colours, is directly to the 230V mains supply. This luminaire is suitable for lamps of energy classes: E - A++

Notes
