


ROX WALL OUT UP/DOWN

QPAR11, outdoor wall light, brushed aluminium, max.2x50W, IP44



SLV



Article number	1000334
Product family	Rox
Feed-in capability	No
Lampholder / Socket	GU10
Number of light sources	2
Lamp included	No
Height	20.5 cm
Diameter	12.5 cm
Net weight	1.141 kg
Gross weight	1.27 kg
Voltage	230V ~50Hz
Max. wattage	50 Watt
Protection class	I
IP-rating	IP 44
Energy efficiency class	A++
Way of mounting	Surface mounted / Wall mounted
Lamp	QPAR111
Colour	brushed aluminium
Form	cylindric
Light distribution type 1	direct - indirect
Material	Aluminium/glass

Articles of this series

149326	ROX, wall light, QPAR111, round, natural aluminium, max. 75W
149336	ROX, wall light, QPAR111, round, up/down, natural aluminium, max. 100 W
227232	ROX, outdoor wall light, LED, 3000K, IP44, brushed aluminium, up/down, max. 6W
227881	ROX PRO, outdoor wall light, HIT-CE, IP44, white, max. 70W
227885	ROX PRO, outdoor wall light, HIT-CE, IP44, anthracite, max. 70W
229746	ROX, outdoor wall light, energy saving lamp GX53, IP44, round, brushed aluminium, max. 11W
229756	ROX CEILING, outdoor ceiling light, QPAR111, IP44, round, brushed aluminium, max. 75W
229766	ROX WALL, outdoor wall light, QPAR111, IP44, round, brushed aluminium, max. 75W
229776	ROX, outdoor wall light, QPAR111, IP44, round, brushed aluminium, up/down, max. 100W
229786	ROX, outdoor wall light, TCR-TSE, IP44, round, brushed aluminium, up/down, max. 18W
229836	ROX PATHLIGHT, outdoor floor stand, QPAR111, IP44, brushed aluminium, max. 50W
229856	ROX PATHLIGHT, outdoor floor stand, energy-saving lamp, GX53, IP44, brushed aluminium, max. 9W
230720	ROX ACRYL C, outdoor ceiling light, TC-(D,H,T,Q)SE, IP44, brushed aluminium, max. 20W
230726	ROX GX53, outdoor wall and ceiling light, energy-saving lamp GX53, IP44, brushed aluminium, max. 9W
230736	ROX ACRYL, outdoor wall light, TC-TSE, IP44, brushed aluminium, max. 20W
230746	ROX ACRYL, outdoor wall light, TC-TSE, IP44, brushed aluminium, up/down, max. 40W
232256	ROX ACRYL POLE 30, outdoor floor stand, TC-TSE, IP44, round, brushed aluminium, Ø/H 13/30 cm, max. 20W
232266	ROX ACRYL POLE 60, outdoor floor stand, TC-TSE, IP44, round, brushed aluminium, Ø/H 13/62 cm, max. 20W

232276	ROX ACRYL POLE 90, outdoor floor stand, TC-TSE, IP44, round, brushed aluminium, Ø/H 13/90 cm, max. 20W
1000332	ROX CEILING OUT, QPAR11, outdoor ceiling light, brushed aluminium, max. 50W, IP44
1000333	ROX WALL OUT, QPAR11, outdoor wall light, brushed aluminium, max. 50W, IP44
1000338	ROX ACRYL CEILING, E27, outdoor ceiling light, brushed aluminium, max. 20W, IP44
1000339	ROX CEILING OUT, TCR-TSE, outdoor ceiling light, brushed aluminium, max. 11W, IP44

The puristic wall light of the ROX series is made from brushed aluminium and glass, which covers the lamp. Thanks to the position of the two sockets which are fitted, the mounted luminaire produces two equal but opposite cones of light (UP/DOWN). It is suitable for use outdoors thanks to its IP44 protection class. The electrical connection is made directly to the 230V mains supply. The ROX series also includes ceiling lights as well as floor stands with different sockets and can therefore be used universally. This luminaire is suitable for lamps of energy classes: E - A++

Notes
