



COB LED MODULE

for AIXLIGHT PRO installation frame, matt white, 30°, CRI65+

Article number 115213

Feed-in capability No

Lamp included No

Height 13 cm

Diameter 13.5 cm

Net weight 0.511 kg

Gross weight 0.634 kg

Voltage 700mA

Protection class III

Beam angle 30 Degree

Average lifespan 30000 Hours

Colour temperature 3600 Kelvin

Colour rendering index 65

Luminous flux 1300 lm

Energy efficiency class A++

Way of mounting Recessed mounted / Ceiling recessed with accessories


Form round



Light distribution type 1 direct

Light distribution type 2 rotational symmetric

Material Aluminium/glass

Colour black/white





Articles of this series

| | |
|--------|--|
| 115024 | ES111 BRITESPOT MODULE, for AIXLIGHT PRO installation frame, HIPAR111, silver-grey/black, max. 70W |
| 115001 | QR111 MODULE, for AIXLIGHT PRO installation frame, QR111, matt white, max. 75W |
| 115004 | QR111 MODULE, for AIXLIGHT PRO installation frame, QR111, silver-grey/black, max. 75W |
| 115011 | QPAR111 MODULE, for AIXLIGHT PRO installation frame, QPAR111, white, max. 75W |
| 115014 | QPAR111 MODULE, for AIXLIGHT PRO installation frame, QPAR111, silver-grey/black, max. 75W |
| 115041 | G12 MODULE, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 24°, max. 70W |
| 115044 | G12 MODULE, for AIXLIGHT PRO installation frame, HIT-CE, silver-grey / black, 24°, max. 70W |
| 115051 | G12 MODULE, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 58°, max. 70W |
| 115054 | G12 MODULE, for AIXLIGHT PRO installation frame, HIT, silver-grey / black, 58°, max. 70W |
| 115064 | G12 MODULE, for AIXLIGHT PRO installation frame, HIT, silver-grey / black, 8°, max. 70W |
| 115071 | QR111 MODULE MOVE for AIXLIGHT PRO installation frame, QR-LP111, matt white, max. 75W |
| 115074 | QR111 MODULE MOVE for AIXLIGHT PRO installation frame, QR-LP111, silver-grey / black, max. 75W |
| 115094 | ENERGYSAVER MODULE, for AIXLIGHT PRO, TC-TSE, silver-grey / black, max. 21W |
| 115181 | COB LED-MODULE, for AIXLIGHT PRO installation frame, 3000K, white, 12° |
| 115183 | COB LED-MODULE, for AIXLIGHT PRO installation frame, 3000K, white, 30° |
| 115187 | COB LED-MODULE, for AIXLIGHT PRO installation frame, 3000K, white, 70° |
| 115191 | COB LED MODULE, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 12° |
| 115193 | COB LED MODULE, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 30° |

| | |
|--------|---|
| 115197 | COB LED MODULE, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 70° |
| 115451 | LED DISK MODULE, for AIXLIGHT PRO installation frame, 2700K, matt white, 50° |
| 115454 | LED DISK MODULE, for AIXLIGHT PRO installation frame, 2700K, silver-grey/black, 50° |
| 115461 | LED DISK MODULE, for AIXLIGHT PRO installation frame, 4000K, matt white, 50° |
| 115464 | LED DISK MODULE, for AIXLIGHT PRO installation frame, 4000K, silver-grey/black, 50° |
| 115201 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+ |
| 115203 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+ |
| 115207 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+ |
| 115211 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 12°, CRI65+ |
| 115217 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 70°, CRI65+ |
| 115221 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+ |
| 115223 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+ |
| 115227 | COB LED MODULE, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+ |
| 115231 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI90+ |
| 115233 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI90+ |
| 115237 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI90+ |
| 115241 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI65+ |
| 115243 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI65+ |
| 115247 | COB LED MODULE, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI65+ |

115251 COB LED MODULE, for AIXLIGHT PRO installation frame,
silver-grey, 12°, CRI90+

115253 COB LED MODULE, for AIXLIGHT PRO installation frame,
silver-grey, 30°, CRI90+

115257 COB LED MODULE, for AIXLIGHT PRO installation frame,
silver-grey, 70°, CRI90+

The COB LED Module was developed for use in AIXLIGHT PRO installation frames. This special product is for the lighting of meat products and is not suitable for general room lighting. The cold-white COB LED module comes in white or silver-grey and is available in various beam angles. A LED driver with a constant current of 700 mA is needed for use. Not suitable for flat installation frames.

Notes
