HALLEY

Design by Jordi Vilardell & Meritxell Vidal.



Reference

4150.

Application

Outdoor lamps

Installation type

Surface

Description

Outdoor lamp designed by Jordi Vilardell & Meritxell Vidal. Ground-ground structure. It is very easy to set up and dismantle, so that any outdoor space can be illuminated with a comfortable, even light. The light source is a row of LEDs.

Diffuser

Polycarbonate diffuser

Materials

Diffuser: Polycarbonate


Base: Steel

Finish



4150-04 Black (RAL 9005)

Sketch



Electrical characteristics

1 x LED STRIP 24V 21,6W

Total 21.6 W







Led 3750K CRI >70 1264 lm 59 lm/W

Fixture: 461 lm 21 lm/W

Driver included: CC - Constant Current 100-240V 50/60Hz

Technical characteristics

- Carry case included

Physical characteristics

2 Box / 0.16 x 0.51 x 2.35 m. / Vol. 0.2529 $\ensuremath{\text{m}}^3$ / Gross weight 22.7 kg. / Net weight 20.4 kg.

Installation and assembly

Please, see the installation manual

Light distribution

General lighting

Lamp for general lighting that equally distributes the light in all directions.



Photometric data

Efficiency: 36.45% Isolux: Floor Light position : Coordinate system : CG

Total flux: 1264.48 X=0.00m Y=0.00m Z=2.00m

Maximum value : 99.62 Light position : C=0.00 G=0.00

Symmetry on the planes : Double symmetrical





Certificates







