

A.24 - Ceiling Sharping Emission - Curved Elements - 24° - R=561mm - $\alpha=90^\circ$ - 2700K - White



IP20   Dimmerable: 


DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ61801	Series:	Indoor, 2018
Colour:	White		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

DIMENSIONS

Width:	cm 2.7
Height:	cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Type:	0		

LUMINAIRE

Watt:	12W	Delivered lumens output (lm):	839lm
		CCT:	2700K
		CRI:	90

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. Bracket for fixing to ceiling is included: 1 for 1176mm length - 2 for 2352 mm length. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

ACCESSORIES


150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17901



150W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17904



240W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18000



150W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18100



Cap for cable -
White
AQ35301



240W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17201



240W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17204




A.24 - Flexible
Cover L=10m -
Black
AQ92004



A.24 - Remote Box
Power Supply Kit -
313x243x57,5h -
(230VAC-48VDC
240W DALI)
AQ16000



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 - DALI
AQ16801



A.24 - Insulating
Spacer (1x) - White
AQ35201



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable
AQ17801



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17201



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17204



A.24 - Louver for
Curved Elements
- White (Order 1pc
AQ92004)


230VAC-48VDC
IP20 -
Undimmable -
White
AQ17301

230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17304

for R=561 60°/90°
R=750 45°, 2 pcs
for R=750 90°)
AQ91101



A.24 - Louver for
Courved Elements
- Black (Order 1pc
for R=561 60°/90°
R=750 45°, 2 pcs
for R=750 90°)
AQ91104



A.24 - Flexible
Cover L=10m -
White
AQ92001



A.24 - Wall/Ceiling
Accessories - End
Cap (2x) - White
AQ35001



150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17701




150W Ceiling
power supply kit -
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17704



A.24 - Flexible
Cover L=2m -
White
AQ92101



A.24 - Flexible
Cover L=2m -
Black
AQ92104



DALI to DALI-Selv
Interface
103x67x21H
AQ18200



A.24 - Wall/Ceiling
Accessories -
Transition Cap -
White
AQ39401