



**A.24 - Ceiling Sharping Emission - Curved Elements - 62° - R=750mm - α=45° - 4000K - White**



IP20   Dimmerable: 


**DESIGN BY**

Carlotta de Bevilacqua

**DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

**TECHNICAL DRAWINGS**



**FEATURES**

<b>Article Code:</b>	AQ62601	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	White		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

**DIMENSIONS**

<b>Width:</b>	cm 2.7
<b>Height:</b>	cm 5.4

**INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	4000K
<b>Number:</b>	1	<b>CRI:</b>	90
<b>Watt:</b>	12W		
<b>Type:</b>	0		

**LUMINAIRE**

<b>Watt:</b>	12W	<b>Delivered lumens output (lm):</b>	777lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	80

**Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. Bracket for fixing to ceiling is included: 1 for 1176mm length - 2 for 2352 mm length. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately.


**ACCESSORIES**



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17904




240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Flexible Cover L=10m - Black AQ92004



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI) AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI AQ16801



A.24 - Insulating Spacer (1x) - White AQ35201



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable AQ17801



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17301  
A.24 - Louver for Curved Elements - R=750mm - White (Order 1pc for 45°, 2 pcs for 90°)



A.24 - Recessed Power Supply Kit AQ16800




240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17304  
A.24 - Flexible Cover L=10m - White AQ92001



90°)  
AQ91101



AQ91104




A.24 - Wall/Ceiling  
Accessories - End  
Cap (2x) - White  
AQ35001



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17701



150W Ceiling  
power supply kit -  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17704



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



A.24 - Wall/Ceiling  
Accessories -  
Transition Cap -  
White  
AQ39401