


A.24 - Ceiling Sharping Emission - Track - Direct Emission - 1176mm - 24° - 4000K - Black



TECHNICAL DRAWINGS



DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

| FEATURES | | | |
|------------------|---------------------|------------------------------|---------------------|
| Article Code: | AQ32104 | Series: | Indoor, 2018 |
| Colour: | Black | | Artemide Collection |
| Installation: | Recessed, Wall, | Emission: | Direct |
| | Suspension, Ceiling | | |
| Environment: | Indoor | | |
| DIMENSIONS | | | |
| Length: | cm 117.6 | | |
| Width: | cm 2.7 | | |
| Height: | cm 5.4 | | |
| Weight: | kg 1.4 | | |
| INCLUDED SOURCES | | | |
| Category: | LED | Color temperature (K): | 4000K |
| Number: | 1 | CRI: | 90 |
| Watt: | 25W | | |
| Туре: | 0 | | |
| LUMINAIRE | | | |
| Watt: | 22W | Delivered lumens output (lm) | : 1742lm |
| | | сст: | 4000K |
| | | CRI: | 90 |
| Netos | | | |

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. Bracket for fixing to ceiling is included: 1 for 1176mm length - 2 for 2352 mm length. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



PRODUCT CODE: AQ32104

ACCESSORIES



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17901



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17904



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 - DALI AQ16801



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



Cap for cable -Black AQ35304



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Insulating Spacer (1x) - Black AQ35204



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable AQ17801



A.24 - Wall/Ceiling Accessories -Transition Cap -Black AQ39404 150W Ceiling

March 2019

power supply kit -

Undimmable -



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC

IP20 Black

We reserve the right to change our product specifications. Undimmable -Please visit www.artemide.com for the latest product information White IP20

240W Ceiling

351x61x111H -

230VAC-48VDC

power supply kit -

AQ17301

AQ17304



321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17701



DALI to DALI-Selv Interface 103x67x21H AQ18200



A.24 - Sharping Kit L=1176mm -White AQ26001



A.24 - Wall/Ceiling Accessories - End Cap (2x) - Black AQ35004



230VAC-48VDC IP20 - Dimmable DALI - Black AQ17704



A.24 - Sharping Kit L=1176mm - Black AQ26004