

**A.24 - Recessed Sharping Emission - Curved Elements - 62° - R=561mm - α=60° - 4000K - White**



IP20   Dimmerable: 


**DESIGN BY**

Carlotta de Bevilacqua

**DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

**TECHNICAL DRAWINGS**



**FEATURES**

<b>Article Code:</b>	AQ50601	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	White		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

**DIMENSIONS**

<b>Width:</b>	cm 2.7
<b>Recessed depth:</b>	cm 5.4

**INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	4000K
<b>Number:</b>	1	<b>CRI:</b>	90
<b>Watt:</b>	12W		
<b>Type:</b>	0		

**LUMINAIRE**

<b>Watt:</b>	12W	<b>Delivered lumens output (lm):</b>	839lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	80

**Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.


**ACCESSORIES**



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Flexible Cover L=10m - Black AQ92004



A.24 - Recessed Accessories - Transition Joint - White AQ29001



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI) AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI AQ16801



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable AQ17801




240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17301



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17304



A.24 - Louver for Curved Elements - White (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91101




A.24 - Recessed Accessories - End Cap (2x) - White


AQ25001



A.24 - Louver for Curved Elements - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



A.24 - Flexible Cover L=10m - White AQ92001



150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White AQ17701




150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black AQ17704




A.24 - Flexible Cover L=2m - White AQ92101



A.24 - Flexible Cover L=2m - Black AQ92104



A.24 - Recessed Accessories - Insulating Spacer (1x) - White AQ24101



DALI to DALI-Selv Interface 103x67x21H AQ18200