PRODUCT DATA SHEET PRODUCT CODE: AQ52901

# A.24 - Recessed Sharping Emission - Curved Elements - $62^{\circ}$ - R=750mm - $\alpha$ =45° - 2700K - White




#### **DESIGN BY**

Carlotta de Bevilacqua

#### **DESCRIPTION**

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented

#### **TECHNICAL DRAWINGS**



#### **FEATURES**

| Article Code: | AQ52901            | Series:   | Indoor, 2018        |
|---------------|--------------------|-----------|---------------------|
| Colour:       | White              |           | Artemide Collection |
| Installation: | Recessed, Wall,    | Emission: | Direct              |
|               | Suspension Ceiling |           |                     |

**Environment:** Indoor

## **DIMENSIONS**

cm 2.7 Recessed depth: cm 5.4

#### **INCLUDED SOURCES**

| Category: | LED | Color temperature (K): | 2700K           |
|-----------|-----|------------------------|-----------------|
| Number:   | 1   | Color Tolerance:       | MacAdam 2SDCM   |
| Watt:     | 12W | Service Life:          | L70 (6K) 50000h |
| Type:     | 0   |                        |                 |

# **LUMINAIRE**

| Watt: | 12W | Delivered lumens output (lm): 839lm |       |  |
|-------|-----|-------------------------------------|-------|--|
|       |     | CCT:                                | 2700K |  |
|       |     | CRI:                                | 90    |  |

### **Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

#### **ACCESSORIES**



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17901

150W Bare power supply + plug

230VAC-48VDC

Undimmable (for

dimmable version

A.24 - Remote Box

Power Supply Kit -

313x243x57,5h -

(230VAC-48VDC

240W DALI)

240W Ceiling

power supply kit -

351x61x111H -

230VAC-48VDC

Undimmable -

IP20 -

White

AQ17301

AQ16000

to be combined

with "DALI-Selv interface") AQ18100

IP20 -



power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17201



240W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17204



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Recessed Accessories -Transition Joint -White AQ29001



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 - DALI AQ16801



240W Recessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable AQ17801



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17304



A.24 - Louver for Courved Elements - R=750mm -White (Order 1pc for 45°, 2 pcs for 90°) AQ91101 A.24 - Recessed Accessories - End



March 2019

We reserve the right to change our product specifications.
Please visit www.artemide.com for the latest product information

Cap (2x) - White



A.24 - Louver for Courved Elements - R=750mm - Black (Order 1pc for 45°, 2 pcs for 90°) AQ91104



150W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17704



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Recessed Accessories -Insulating Spacer (1x) - White AQ24101

#### AQ25001



150W Ceiling power supply kit -321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17701



DALI to DALI-Selv Interface 103x67x21H AQ18200