

# A.24 - Recessed Sharping Emission - Track - Direct Emission - 2352mm - 24° - 4000K - Black



IP20 Dimmerable:


## DESIGN BY

Carlotta de Bevilacqua

## DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

## TECHNICAL DRAWINGS



## FEATURES

<b>Article Code:</b>	AQ21304	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Black	<b>Emission:</b>	Artemide Collection Direct
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling		
<b>Environment:</b>	Indoor		

## DIMENSIONS

<b>Length:</b>	cm 235.2
<b>Width:</b>	cm 2.7
<b>Weight:</b>	kg 2.7
<b>Recessed depth:</b>	cm 5.4

## INCLUDED SOURCES

<b>Category:</b>	LED	<b>Color temperature (K):</b>	4000K
<b>Number:</b>	1	<b>CRI:</b>	90
<b>Watt:</b>	50W		
<b>Type:</b>	0		

## LUMINAIRE

<b>Watt:</b>	50W	<b>Delivered lumens output (lm):</b>	3485lm
		<b>CCT:</b>	4000K
		<b>CRI:</b>	90

## Notes

\*Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17901



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17904



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000



150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White  
AQ17201



240W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black  
AQ17204



A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - DALI  
AQ16801



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable  
AQ17801



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White  
AQ17301




240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black  
AQ17304



A.24 - Sharping Kit L=2352mm - Black  
AQ26104




A.24 - Recessed Accessories - Transition Cap - Black  
AQ29004




A.24 - Recessed Accessories - Insulating Spacer (1x) - Black  
AQ24104



A.24 - Recessed Accessories - End Cap (2x) - Black




150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable




150W Ceiling power supply kit - 321x91x111H - 230VAC-48VDC IP20 - Dimmable

AQ25004



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200

DALI - White  
AQ17701



A.24 - Sharping Kit  
L=2352mm -  
White  
AQ26101

DALI - Black  
AQ17704