



A.24 - Suspension Diffused Emission - Curved Elements - R=561mm - α =60° -3



TECHNICAL DRAWINGS

Artemide PRODUCT DATA SHEET



Article Code:	AQ70120	Series:	Indoor, 2018	
Colour: Installation:	Brushed Bronze Recessed, Wall,	Emission:	Artemide Collection Direct	
Environment:	Suspension, Ceiling Indoor			
DIMENSIONS				
Width: Recessed depth:	cm 2.7 cm 5.4			
INCLUDED SOURCES				
Category:	LED	Color temperature (K):	3000K	
Number:	1	Color Tolerance:	MacAdam 2SDCM	
Watt:	17W	Service Life:	L70 (6K) 50000h	
Type: Class:	0 A			
LUMINAIRE				
Watt:	17W	Delivered lumens output (lm): 1187lm		
		CCT:	3000K	
		CRI:	80	
Notes				

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately.

00)K	- B	rus	hed	Br	onzo
				//	/	
		//	/			

DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION



PRODUCT CODE: AQ70120

ACCESSORIES



Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000

A.24 - Flexible

Opal Diffusing

Screen - 10m

240W Ceiling

351x61x111H -

230VAC-48VDC

IP20

We reserve the right to change our product specifications. Undimmable -Please visit www.artemide.com for the latest product information Black

power supply kit -

AQ90000



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



Diffusing Screen -10m AQ16200



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



A.24 - Flexible **Opal Diffusing** Screen - 25m AQ90100



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC

IP20 Undimmable -White



A.24 - Suspension Accessories -**Ceiling Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ16104



Suspension Accessories -**Recessed Power** Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ15401



A.24 - Opal Diffusing Screen -25m AQ16300



A.24 - Opal Diffusing Screen -50m AQ16400



A.24 - Flexible **Opal Diffusing** Screen - 50m AQ90200



A.24 - Suspension Accessories - End Cap (2x) - Brushed Bronze AQ45120

150W Ceiling

March 2019

power supply kit -

AQ17104

AQ17601



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



A.24 - Suspension Accessories -Insulating Spacer (1x) - Brushed Bronze AQ45220



power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404





DALI to DALI-Selv Interface 103x67x21H AQ18200



A.24 - Suspension Accessories -Transition Cap -Brushed bronze AQ49420



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101