


**A.24 - Suspension Diffused Emission - Curved Elements - R=561mm -  $\alpha=90^\circ$  - 2700K - Brushed Silver**




IP20    Dimmerable: 

**DESIGN BY**

Carlotta de Bevilacqua

**DESCRIPTION**

**TECHNICAL DRAWINGS**



**FEATURES**

<b>Article Code:</b>	AQ71715	<b>Series:</b>	Indoor, 2018
<b>Colour:</b>	Brushed Silver		Artemide Collection
<b>Installation:</b>	Recessed, Wall, Suspension, Ceiling	<b>Emission:</b>	Direct
<b>Environment:</b>	Indoor		

**DIMENSIONS**

<b>Width:</b>	cm 2.7
<b>Recessed depth:</b>	cm 5.4

**INCLUDED SOURCES**

<b>Category:</b>	LED	<b>Color temperature (K):</b>	2700K
<b>Number:</b>	1	<b>Color Tolerance:</b>	MacAdam 2SDCM
<b>Watt:</b>	25W	<b>Service Life:</b>	L70 (6K) 50000h
<b>Type:</b>	0		

**LUMINAIRE**

<b>Watt:</b>	25W	<b>Delivered lumens output (lm):</b>	1781lm
		<b>CCT:</b>	2700K
		<b>CRI:</b>	80

**Notes**

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately.

**ACCESSORIES**



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ15404



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ16101



A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black  
AQ16104




A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)  
AQ16000



A.24 - Opal Diffusing Screen - 10m  
AQ16200




Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White  
AQ15401




240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18000




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")  
AQ18100




A.24 - Opal Diffusing Screen - 25m  
AQ16300




A.24 - Opal Diffusing Screen - 50m  
AQ16400



A.24 - Flexible Opal Diffusing Screen - 10m  
AQ90000



A.24 - Flexible Opal Diffusing Screen - 25m  
AQ90100




A.24 - Flexible Opal Diffusing Screen - 50m  
AQ90200



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 -

Undimmable - Black



A.24 - Suspension Accessories - End Cap (2x) - Brushed Silver  
AQ45115



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 -

Undimmable - White

AQ17104



150W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black AQ17604



150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - White AQ17501


AQ17601



150W Ceiling power supply - kit 321x91x111H - 230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Suspension Accessories - Transition Cap - Brushed silver AQ49415



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable - White AQ17401



A.24 - Suspension Accessories - Insulating Spacer (1x) - Brushed Silver AQ45215



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC IP20 - Undimmable - Black AQ17404



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - White AQ17101