






# A.24 - Suspension Diffused Emission - Curved Elements - R=750mm - $\alpha=90^\circ$ - 3000K - Brushed Copper




IP20    Dimmerable: 

## DESIGN BY

Carlotta de Bevilacqua

## DESCRIPTION

## TECHNICAL DRAWINGS



## FEATURES

Article Code:	AQ73118	Series:	Indoor, 2018
Colour:	Brushed Copper		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

## DIMENSIONS

Width:	cm 2,7
Recessed depth:	cm 5,4

## INCLUDED SOURCES

Category:	LED	Color temperature (K):	3000K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	33W	Service Life:	L70 (6K) 50000h
Type:	0		

## LUMINAIRE

Watt:	34W	Delivered lumens output (lm):	2374lm
		CCT:	3000K
		CRI:	80

## Notes

\*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

**ACCESSORIES**


Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ15404




A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ16101



A.24 - Suspension  
Accessories -  
Ceiling Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- Black  
AQ16104




A.24 - Remote Box  
Power Supply Kit -  
313x243x57,5h -  
(230VAC-48VDC  
240W DALI)  
AQ16000



A.24 - Opal  
Diffusing Screen -  
10m  
AQ16200




Suspension  
Accessories -  
Recessed Power  
Supply Kit For  
Suspension  
Modules (230VAC-  
48VDC 240W DALI)  
- White  
AQ15401




240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000




150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100




A.24 - Opal  
Diffusing Screen -  
25m  
AQ16300




240W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18000




150W Bare power  
supply + plug  
230VAC-48VDC  
IP20 -  
Undimmable (for  
dimnable version  
to be combined  
with "DALI-Selv  
interface")  
AQ18100




A.24 - Opal  
Diffusing Screen -  
25m  
AQ16300




A.24 - Opal  
Diffusing Screen -  
50m  
AQ16400



A.24 - Flexible  
Opal Diffusing  
Screen - 10m  
AQ90000




A.24 - Flexible  
Opal Diffusing  
Screen - 25m  
AQ90100



A.24 - Flexible  
Opal Diffusing  
Screen - 50m  
AQ90200



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black



A.24 - Suspension  
Accessories - End  
Cap (2x) - Brushed  
Copper  
AQ45118



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White

AQ17104



150W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17604



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - White  
AQ17501


AQ17601



150W Ceiling  
power supply - kit  
321x91x111H -  
230VAC-48VDC  
IP20 - Dimmable  
DALI - Black  
AQ17504



A.24 - Suspension  
Accessories -  
Transition Cap -  
Brushed copper  
AQ49418



DALI to DALI-Selv  
Interface  
103x67x21H  
AQ18200



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17401



240W Recessed  
power supply kit -  
396x195x112H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
Black  
AQ17404



A.24 - Suspension  
Accessories -  
Insulating Spacer  
(1x) - Brushed  
Copper  
AQ45218



240W Ceiling  
power supply kit -  
351x61x111H -  
230VAC-48VDC  
IP20 -  
Undimmable -  
White  
AQ17101