

A.24 - Suspension Diffused Emission - Track - Direct + Indirect Emission - 1176mm - 2700K - Brushed Silver




IP20 Dimmerable:

DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ46415	Series:	Indoor, 2018
Colour:	Brushed Silver	Emission:	Artemide Collection Direct
Installation:	Ceiling, Suspension, Wall, Recessed		
Environment:	Indoor		

DIMENSIONS

Length:	cm 117.6
Width:	cm 2.7
Weight:	kg 1.7
Recessed depth:	cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	33W	Service Life:	L70 (6K) 50000h
Type:	0		
Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	16W	Service Life:	L70 (6K) 50000h
Type:	0		

LUMINAIRE

Watt:	33W + 16W	Delivered lumens output (lm):	2841lm + 1502lm
		CCT:	2700K
		CRI:	80

Notes

*Uses 2 DALI addresses. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable is also included. End caps have to be ordered separately. Opal diffusing screen has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.

ACCESSORIES



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18000



Suspension Accessories - Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black
AQ15404




150W Bare power supply + plug 230VAC-48VDC IP20 - Undimmable (for dimmable version to be combined with "DALI-Selv interface")
AQ18100




A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White
AQ16101




A.24 - Suspension Accessories - Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black
AQ16104



A.24 - Opal Diffusing Screen - 25m
AQ16300




A.24 - Opal Diffusing Screen - 50m
AQ16400



A.24 - Opal Diffusing Screen - 1176mm
AQ16500




A.24 - Remote Box Power Supply Kit - 313x243x57,5h - (230VAC-48VDC 240W DALI)
AQ16000



A.24 - Opal Diffusing Screen - 3528mm
AQ16700



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC IP20 - Undimmable - Black
AQ17104



A.24 - Suspension Accessories - End



150W Ceiling power supply kit -



150W Ceiling power supply kit -

Cap (2x) - Brushed Silver
AQ45115




150W Ceiling power supply - kit
321x91x111H - 230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17501

351x61x111H - 230VAC-48VDC
IP20 - Undimmable - White
AQ17601



150W Ceiling power supply - kit
321x91x111H - 230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17504


351x61x111H - 230VAC-48VDC
IP20 - Undimmable - Black
AQ17604



A.24 - Opal Diffusing Screen - 10m
AQ16200



A.24 - Suspension Accessories - Transition Cap - Brushed silver
AQ49415



DALI to DALI-Selv Interface
103x67x21H
AQ18200



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC
IP20 - Undimmable - White
AQ17401



A.24 - Suspension Accessories - Insulating Spacer (1x) - Brushed Silver
AQ45215



240W Recessed power supply kit - 396x195x112H - 230VAC-48VDC
IP20 - Undimmable - Black
AQ17404



240W Ceiling power supply kit - 351x61x111H - 230VAC-48VDC
IP20 - Undimmable - White
AQ17101