





A.24 - Suspension Magnetic Track - Track + Indirect Emission - 2352mm - 2700K - White



IP20    Dimmerable: 


DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

| | | | |
|----------------------|----------------------------------|----------------|-------------------------------------|
| Article Code: | AQ40701 | Series: | Indoor, 2018 Artemide Collection |
| Colour: | White | | |
| Installation: | Ceiling, Suspension, Recessed | | |
| Environment: | Indoor | | |

DIMENSIONS

| | |
|----------------|----------|
| Length: | cm 235.2 |
| Width: | cm 2.7 |
| Height: | cm 5.4 |
| Weight: | kg 2.7 |

INCLUDED SOURCES

| | | | |
|------------------|-----|-------------------------------|-------|
| Category: | LED | Color temperature (K): | 2700K |
| Number: | 1 | CRI: | 80 |
| Watt: | 33W | | |
| Type: | 0 | | |

LUMINAIRE

| | | | |
|--------------|-----|--------------------------------------|-----------|
| Watt: | 33W | Delivered lumens output (lm): | 3004lm |
| | | CCT: | 2700K |
| | | Efficiency: | 67% |
| | | Efficacy: | 91.02lm/W |
| | | CRI: | 80 |
| | | Dimmable Typology: | Dali |

Notes

Each linear, angle and curved elements are provided with mechanical and electrical joints and installation accessories. End caps have to be ordered separately. 1 suspension cable is also included. Depending on the driver, the product can be undimmable or dimmable DALI.

ACCESSORIES


A.24 - Suspension
Accessories -
Transition Cap -
White
AQ49401



Suspension
Accessories -
Recessed Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- White
AQ15401



240W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18000



Suspension
Accessories -
Recessed Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- Black
AQ15404



150W Bare power
supply + plug
230VAC-48VDC
IP20 -
Undimmable (for
dimmable version
to be combined
with "DALI-Selv
interface")
AQ18100



A.24 - Suspension
Accessories -
Ceiling Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- White
AQ16101




A.24 - Suspension
Accessories -
Ceiling Power
Supply Kit For
Suspension
Modules (230VAC-
48VDC 240W DALI)
- Black
AQ16104



A.24 - Remote Box
Power Supply Kit -
313x243x57,5h -
(230VAC-48VDC
240W DALI)
AQ16000



A.24 - Suspension
Accessories -
Insulating Spacer
(x1) - White
AQ49101



A.24 - Suspension
Accessories - End
Cap (x2) - White
AQ49001



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17104



230VAC-48VDC
IP20 -
Undimmable -
White
AQ17601




230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17604



230VAC-48VDC
IP20 - Dimmable
DALI - White
AQ17501



150W Ceiling
power supply - kit
321x91x111H -
230VAC-48VDC
IP20 - Dimmable
DALI - Black
AQ17504



DALI to DALI-Selv
Interface
103x67x21H
AQ18200



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17401



240W Recessed
power supply kit -
396x195x112H -
230VAC-48VDC
IP20 -
Undimmable -
Black
AQ17404



240W Ceiling
power supply kit -
351x61x111H -
230VAC-48VDC
IP20 -
Undimmable -
White
AQ17101