PRODUCT DATA SHEET PRODUCT CODE: AQ70818

A.24 - Suspension Sharping Emission - Curved Elements - 24° - R=561mm - α =60° - 2700K - Brushed Copper




DESIGN BY

Carlotta de Bevilacqua

DESCRIPTION

A.24 is an open platform. A single intelligent profile generates three light performances while following the architecture with continuity, freedom and exibility. It is a fluid system that harbours a patented optoelectronic technology.

TECHNICAL DRAWINGS



FEATURES

Article Code:	AQ70818	Series:	Indoor, 2018
Colour:	Brushed Copper		Artemide Collection
Installation:	Recessed, Wall, Suspension, Ceiling	Emission:	Direct
Environment:	Indoor		

DIMENSIONS

 Width:
 cm 2.7

 Height:
 cm 5.4

INCLUDED SOURCES

Category:	LED	Color temperature (K):	2700K
Number:	1	Color Tolerance:	MacAdam 2SDCM
Watt:	12W	Service Life:	L70 (6K) 50000h
Туре:	0		

LUMINAIRE

 Watt:
 12W
 Delivered lumens output (Im): 839Im

 CCT:
 2700K

 CRI:
 90

Notes

*Uses 1 DALI address. Each module, angle and curved elements are provided with mechanical and electrical joints and installation accessories. 1 suspension cable in also included. End caps have to be ordered separately. Sharping kit (louvres and covers) has to be ordered separately. Depending on the driver, the product can be undimmable or dimmable DALI.



ACCESSORIES



Suspension Accessories -Recessed Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - Black AQ15404



A.24 - Flexible Cover L=10m -Black AQ92004



A.24 - Suspension Accessories -Ceiling Power Supply Kit For Suspension Modules (230VAC-48VDC 240W DALI) - White AQ16101



A.24 - Remote Box Power Supply Kit -313x243x57,5h -(230VAC-48VDC 240W DALI) AQ16000



A.24 - Suspension

Modules (230VAC-

48VDC 240W DALI)

Accessories -

Ceiling Power

Supply Kit For

Suspension

- Black

AQ16104

Suspension
Accessories Recessed Power
Supply Kit For
Suspension
Modules (230VAC48VDC 240W DALI)
- White
AQ15401



240W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18000

150W Ceiling

power supply kit -

351x61x111H -

230VAC-48VDC

Undimmable -

IP20 -

White

AQ17601



150W Bare power supply + plug 230VAC-48VDC IP20 -Undimmable (for dimmable version to be combined with "DALI-Selv interface") AQ18100



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17104



A.24 - Suspension Accessories - End Cap (2x) - Brushed Copper AQ45118



150W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -Black AQ17604



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - White AQ17501 A.24 - Louver for Courved Elements



for R=750 90°) AQ91101



150W Ceiling power supply - kit 321x91x111H -230VAC-48VDC IP20 - Dimmable DALI - Black AQ17504



A.24 - Louver for **Courved Elements** - Black (Order 1pc for R=561 60°/90° R=750 45°, 2 pcs for R=750 90°) AQ91104



A.24 - Flexible Cover L=10m -White AQ92001



A.24 - Insulating Spacer (1x) -Brushed Copper AQ45318



A.24 - Flexible Cover L=2m -White AQ92101



A.24 - Suspension Accessories -Transition Cap -Brushed copper AQ49418



A.24 - Flexible Cover L=2m -Black AQ92104



DALI to DALI-Selv Interface 103x67x21H AQ18200



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -White AQ17401



240W Reccessed power supply kit -396x195x112H -230VAC-48VDC IP20 -Undimmable -Black AQ17404



240W Ceiling power supply kit -351x61x111H -230VAC-48VDC IP20 -Undimmable -White AQ17101